



Thuja occidentalis – opposite, scale-like leaves with branchlets arranged in flattened, vertical fans. Spiny glaucous fruits



Juniperus virginiana– opposite, closely appressed, scale-like leaves with branchlets arranged in all directions. Foliage either olive green or glaucous blue. Glaucous blue fruits.



Juniperus chinensis 'Torulosa' – opposite, closely appressed, scale-like leaves with dense branchlets arranged in all directions. Foliage rich green and growth contorted. Glaucous blue fruits.



Tsuga canadensis – alternate, linear, flattened leaves with blunt tips $\frac{1}{2}$ to $\frac{3}{4}$ inches long. Two glaucous stripes underneath.



Pinus strobus – very fine needles arranged in bundles of five. 4 to 5 inches long. Smooth twigs and bark. Branches arranged in whorls along trunk.



Pinus thunbergii – stout, sharply pointed, twisted needles in bundles of two. 4 to 6 inches long. Very contorted growth habit with low branching.



Taxodium distichum – deciduous, feathery branchlets arranged alternately along twig. Yellow-green foliage.



Metasequoia glyptostroides— deciduous, feathery branchlets arranged oppositely along twig.



Pinus taeda – 6 to 8 inch needles arranged in bundles of three. Twigs about the diameter of a pencil



Pinus elliotii – 8 to 10 inch needles in bundles of two and three. Twigs the diameter of a sharpie.



Pinus palustris— 10 to 12 inch needles arranged in bundles of three. Twigs the diameter of a Cuban cigar



Pinus virginiana – 2 to 3 inch, twisted needles arranged in bundles of two. Twigs slimmer than a pencil; persistent, small cones.



Juniperus chinensis ‘Sargentii’ – opposite, awl-like leaves. Leaves arranged in four or six ranks, looking like stars. Spreading habit.



Juniperus procumbens 'Nana' – opposite, awl-like leaves arranged in six ranks, looking like 6-pointed stars. Billowy, spreading habit.



Juniperus chinensis 'Pfitzeriana' – opposite, closely appressed, scale-like leaves with branchlets arranged in all directions. Foliage either olive green or glaucous blue. Glaucous blue fruits. Branches at 45° from the ground.



Juniperus davurica 'Expansa' – opposite, closely appressed, scale-like leaves with branchlets arranged in all directions. Foliage glaucous blue. Glaucous blue fruits. Branches are strongly horizontal.



X *Cupressocyparis leylandii* – opposite, closely appressed, scale-like leaves with flattened, feather-like branchlets.



Juniperus conferta 'Blue Pacific' – opposite, divergent, ½ inch leaves with a single glaucous stripe on the upper leaf



Juniperus horizontalis 'Wiltoni' – opposite, very tiny, awl-like leaves arranged in four ranks, looking like 4-pointed stars. Very prostrate habit.



Cupressus arizonica 'Carolina Sapphire' – opposite, closely appressed, very glaucous, scale-like leaves with a loose habit. Conspicuously horned cones.



Pinus mugo 'Compacta' – up to 2 inch needles arranged in bundles of two. Very compact growth habit.



Cunninghamia lanceolata – very sharply pointed, awl-like leaves with two glaucous stripes. Conspicuous, artichoke-like cones.



Cedrus deodara— 1 inch needles arranged in short, lateral spurs along branches. Foliage very glaucous blue.



Chamaecyparis obtusa – Opposite, scale-like leaves. White-edged scales underneath. Branchlets arranged in curved fans.



Cryptomeria japonica – awl-like leaves with thickened bases which recurve towards branch tip. Leaves arranged in spiraling ranks.