RHODODENDRON - HYBRIDS

**** varieties available from Autumn 2016

VARIETY	FLOWER	CONT.	HEIGHT	PRICE Euro
All shrubs with flower buds				
Abendsonne Bell-shaped, orange-red flowers. In this colour group it is reconciling from the most valuable varieties. Flowers are opening successively what considerably the blossoming period is extending. Compact, round habit of the bush. High frost resistance -26°C.		C5	25-35	5,70
Alfred The variety with waved, light violet flowers with olive green fleck. The torus of a flower is lighter-coloured. The flowers bloom at the turn of May/June. Hardy to -25°C.	violet	C5	25-35	5,70
Ann Lindsay The variety with red-white flowers in the second half of May and compact shrub habit. Hardy to -24°C.	red- white	C5	25-35	5,70
Artmeyer's Späte Standard variety with pink flowers. At the age of 10 years the shrub reaches the height of 150 – 170 cm. One advantage of these shrubs is their late blooming season – at the time when most rhododendrons have already shed blossom. High frost resistance -24°C.	dark pink	C5	25-35	5,70
Azurro Very expressive colour. Intensive dark violet flowers with big dark eyelet. Blooming time at the end of May. Medium-strong growth. Hardy to -26°C.	violet with purple eyelet	C5	25-35	5,70
Bariton Shrubs are decorated with magnificent and wide open flowers, with an extensive almost black eye. The shrub grows compactly, not very strongly. At the age of 10 years the shrub reaches the height of 130-150 cm. Frost resistance -20°C.		C5	25-35	5,70
Bernstein dichroanthum Shell pink buds open to pale bright yellow flowers in May to June. A new variety. Grows wide, quite loosy. During frosty winter upper shrub may damage. Frost resistance -22°C.	light cream- brown	C5	25-35	5,70
Blutopia	violet with	C5	25-35	5,70
Strong growing variety, hardy to -24°C. The flowers in violet with olive-green fleck and light waved edges. Blooming time at the end of May.	olive eyelet	C15	40-50	14,50
Bolesław Chrobry / Royal Lilac® NOVELTY!	violet with	C5	25-35	7,20
Purple flowers with a delicate, brown eyelet. This variety grows intensively, has a dense habit. Elongated leaves, turned up slightly. Frost resistance up to -30°C.		C15	40-50	16,20
Brasilia wardii Orange variety. Orange-yellow wavy flowers, gathered in dense flower heads. Slow dense growth. From our observations it follows that these bushes are the most frost-resistant in this variety. Frost resistance -20°C.	orange-pink	C5	25-35	5,70
Brigitte insigne	cream- pink	C5	25-35	5,70
Flowers with pink edges, lighter inwards, in the centre – white with olive-green eyelet. Slow growing variety. 15-year old shrubs grow 110 cm tall and 160 cm wide. The flowers bloom at the end of May, beginning of June. Hardy to -21°C.		C15	40-50	14,50
Brisanz- heamatodes	red	C5	25-35	5,70
Sensational new variety! Purely red flowers, free of any violet addition. Unlike other red varieties, this one grows slowly and densely. Propagates and thickens well. Blooms early, at the same time as the Rh. repens variety. Frost resistance -22°C.		C15	40-50	14,50
Burgundula	dark violet	C15	40-50	14,50
Splendid, dark-violet colour of the flowers with a large, nearly black eye. Apart from `Polarnacht` – this is the darkest of all varieties. Strong growth. Frost		-	.2.30	, -

Splendid, dark-violet colour of the flowers with a large, nearly black eye. Apart from `Polarnacht` – this is the darkest of all varieties. Strong growth. Frost resistance -22°C.

VARIETY	FLOWER	CONT.	HEIGHT	PRICE Euro
All shrubs with flower buds				
Busuki	red	C5	25-35	5,70
Super new in the red varieties. The sharp red colour of the flowers will not let		C15	40-50	14,50
you simply pass by the blooming bushes which grow not too strongly, densely,				
and propagate well. Characteristic leaves – lengthened, pointed leaves with				
light edges and visible veins. Frost resistance -26°C.	white with		25.25	
Calsap White flowers with hig purple evalet are characteristic for this variety. Wide	wnite with purple	C5	25-35	5,70
White flowers with big, purple eyelet are characteristic for this variety. Wide, loose shrub habit, strong growth. Flowering at the turn of May/June. Frost		C15	40-50	14,50
resistance -30°C.	,			
Catawbiense Album	white	C5	25-35	5,70
Standard strongly growing variety, the shrubs' habit is typical			_0 00	2,. 0
of rhododendrons. Pure white flowers with olive-coloured spot. Very healthy				
variety with high frost resistance -30°C.				
Catawbiense Grandiflorum	light lilac	C5	25-35	5,70
Strong growing variety. Flowers at the beginning of June are light lilac. Full frost		C15	40-50	14,50
hardy to -30°C. Well known and friendly plants.		C35	60-80	33,50
Cheer	light pink	C5	25-35	5,70
One attraction of this variety is its frequent partial blooming in autumn. Light			-	•
pink flowers. The shrub grows not very strongly, broadly. Frost resistance				
-22°C.				
Cunningham`s White caucasicum	white	C5	25-35	5,70
Slow growing, compact shrub with dark green leaves. White flowers appear		C15	40-50	14,50
very early. Frequent blooming in autumn. Hardy to -21°C.				
Diadem	pink with	C5	25-35	5,70
Strong growing variety with shining, dark-green leaves. Flowers pink, petals	deep-red			
edges a little bit darker. On the upper petal strong contrast makes wide red	eyelet			
fleck, which changes into deep-red at the torus.	H1			44.50
Dominik calophytum	light pink	C15	40-50	14,50
New variety with flowers already at the beginning of May. The flowers are big,	with deep- red eyelet			
light pink, dark deep-red at the torus. After blooming period a shrub is decorated with very large leaves. Sufficient strong growing shrub. Compact	•			
is decorated with very large leaves. Sufficient strong growing shrub. Compact habit. Hardy to -20°C.				
Dr. H. Dresselhuys	red	C5	25-35	5,70
Red colour of the flower with delicate violet. He is blooming on the turning point		CO	20-33	3,70
of the May and the June. It is growing strongly, 10-years old shrubs have				
180cm height and 160cm width. Frost hardy to -26 °C.				
Erato®	dark red	C5	25-35	5,70
Ruby red colour of the flower, keeping steady in the blossoming period.		55	20 00	3,70
Delicate, wavy and corrugated edges of scraps. He is blooming on the turning				
point of the May and the June. It is growing strongly, straight, densely. Frost				
hardy to -27°C.				
Eskimo	white	C5	25-35	5,70
The variety with white flowers, which open in pale lilac. Green-gold fleck inside		C15	40-50	14,50
the flower. The flowers [end of May, beginning of June] are great. Strong, upright and dense growing shrub. Frost hardy of shrub to -27 °C.				
	Orango	CF.	25.25	F 70
Flautando fauriei Sophisticated colour of flowers. Bell shaped flowers are orange- cream. Darker	orange - cream	C5 C10	25-35 35 40	5,70 14 50
,	J. Juill	O 10	35-40	14,50
and dotted fleck. Requires quiet places. Frost hardy to -26°C.	light orong:	CF.	25.25	E 70
	light orange	C5	25-35	5,70
Wonderful orange flowers with delicately speckled eye on yellow background make this variety a leader in the orange varieties. If its high frost resistance				
is confirmed, it may well turn out to be the best variety in this group. Frost				
resistance -21°C.				
Francesca	dark red	C5	25-35	5,70
Huge flowers in dark red. The variety should grow in twilight, when they do not		55	20 00	5,70
change the colour during coming out of bloom. Upright habit, sufficient strong				
growing shrub. High frost resistance to -30°C.				
· ·				

VARIETY	FLOWER	CONT.	HEIGHT	PRICE Euro
All shrubs with flower buds				Euro
Germania® The variety with big oval leaves and impressive dark pink flowers. Very much one is allowed growing and profusely blooming change. Shining into the measuring cup of blooming flowers. Very much clenched, thick bushes, the domed sort. Frost hardy to -20°C.	dark pink	C5	25-35	5,70
Goldinetta A new variety with light-yellow flowers which look splendid against the background of dark-green leaves. Builds tiny bushes, blooms very profusely. Frost resistance down to -22°C.	yellow	C5	25-35	5,70
Goldkrone® wardii Very slow growing variety with flowers in lemon colour. Wide, compact habit of a shrub. Flowering in the second half of May. Frost hardy to -20°C.	yellow	C5	25-35	5,70
Graffito® Light-pink flowers, nearly white, with a big claret-coloured spot. Pink petal edges. A variety with thin sprouts, propagates well, shiny leaves. Frost resistance -24°C.	light pink with red eyelet	C5	25-35	5,70
Haaga The variety of Finnish growing with dark pink flowers, with violet hint. Medium growth up to 150 cm. Compact, upright habit. Very frost hardy to -36°C. Flowering in the second half of May.	dark pink	C5 C15	25-35 40-50	5,70 14,50
Hachmann's Charmant® Beautiful two colour flowers, inside white, at the edges – light red. The great red eyelet on the upper petal makes the additional decoration of this variety. Abundant flowering at the end of May. 10 years old shrubs grow up to 110-130cm. Frost resistance to -25°C.	red-white	C5	25-35	5,70
Hachmann's Feuerschein® One of the very few varieties with pure red flowers at the turn of May/June. Shrubs with dark green leaves have wide and regular habit. Medium strong growing shrub. High frost resistance to -25°C.	dark red	C5	25-35	5,70
Halfdan Lem NOVELTY! A variety with large vividly red flowers free of violet hint. Strong straight growth. At the age of 10 years it reaches the height of 150-180 cm. Promising novelty. Frost resistance to -24°C.	vividly red	C5	25-35	5,70
	pink-purple- red	C5	25-35	5,70
Helsinki University brachycarpum Bright pink flowers with the visible tan small stain. He is blooming in the fishing for the May. Straightened height: 10-years old bushes are achieving the height c 1,5 flat fat, stiff, immune to breaking by the snow Shots. High frost resistance to -39°C.	light pink	C5 C15	25-35 40-50	5,70 14,50
Humboldt One of the most beautiful varieties. The flowers are wide opened, light rose with huge claret eyelet. Slow growing shrub. Wide habit. Frost resistance to -26°C.	light pink	C5	25-35	5,70
Jan III Sobieski / Royal Amaranth NOVELTY! Flowers of amaranth colour unique for rhododendrons, with yellow eyelet. Slow growing variety with rather small, elongated, dark green leaves, rolled up slightly. Light green buds contrast well with dark green leaves. Frost resistance up to -30°C.	amaranth with yellow eyelet	C5	20-30	7,20
Kabarett A variety with purple-pink flowers with a large claret-red spot. The shrub grows strongly, at the age of 10 years reaches the height of 150 – 170 cm. Long vividly green leaves with lustre. Frost resistance -22°C.	dark pink with deep- red eyelet	C5	25-35	5,70
Kali New variety with intensive, dark purple flowers, breeded on the basis of Nova Zembla and Rubicon. Medium growth, habit dense, square-built. Flower buds very dark. Flowering is abundant.	dark purple- red	C5	25-35	5,70

VARIETY	FLOW	ER CON	T. HEIGHT	PRICE Euro
All shrubs with flower buds	-	-	-	
Karibia Sensational novelty with pure yellow, smart flowers. Strong growing compact shrub habit. Frost resistance -20°C. Flowering in the middle of Ma		w C5	25-35	5,70
Kazimierz Odnowiciel / Royal Violet® NOVELTY	/! pink v	vith C5	25-35	7,20
Very big, wide open, pink flowers. Almost white centre of the flower with a light brown eyelet. The most intensively growing variety of all new comparable to the variety Catawbiense Grandiflorum. Dense plant habit oval, shiny leaves. Frost resistance up to -30°C.	ones eyel		40-50	16,20
Kazimierz Wielki / Royal Scarlet NOVELTY Variety of red flowers with a yellow-brown eyelet. Grows with mode intensity. Shoots are thick, firm and brown-red. Leaves dark green elongated. Buds light brown. Frost resistance up to -30°C.	erate <i>yello</i>	w- /n	25-35	7,20
Królowa Bona / Royal Candy NOVELTY	/! sugary-	pink C5	25-35	7,20
Variety of subtle, sugary-pink flowers brighter inside of the flower. Grov slow; habit - compact. Stems - thick and rigid; leaves - wide and dark gr Finnish varieties were not used in the crossing. The variety is characterize high frost resistance and abundant flowering. Frost resistance up to -30°C.	wth - reen. ed by			
Królowa Jadwiga / Royal Butterfly®**** Variety with pink flowers, strongly waved petals and big brown-red ey Variety shows tendency to partially flower in autumn. Flowering is abund Grows very intensely, has straight habit. Leaves dark green. Frost resistaup to -30°C.	_{relet.} brown dant. eyel	-red	25-35	7,20
Lachsgold	crea	00	25-35	5,70
Unparalleled colouring of flowers. From pink buds develop white-pink-ye flowers, which during blooming change the colour into cream-yellow. Compwide habit. Medium strong growing shrub. Hardy to -20°C.		W C15	40-50	14,50
Libretto This variety has flowers for a long time; it is resistant to torrid heat. Pu violet flowers do not become pale under direct sun operation. Petals I waved edges, with great olive-green flecks. Flowering in the second of May, Wide compact habit. Hardy to 25°C.	have	00	25-35	5,70
of May. Wide, compact habit. Hardy to -26°C. Lugano	lilac-p	ink C5	25-35	5,70
Big, wide-open flowers in pale lilac-pink colour, with dark violet-red eyelet. I green and glossy leaves. Short, wide and compact habit. Frost hardy to -24	Dark with de	ер-	20 00	0,70
Mars	red	C5	25-35	5,70
Flowers vividly red, definitely standing out from other varieties of red colo flowers. Growth is quite strog, habit dense. Frost resistance -28°C.	ured	C15	40-50	14,50
Mieszko I The variety of Polish culture. Red flowers with great eyelet. Compact I of the shrub. Medium strong growing. Flowering in the second half of I Frost resistance -28°C.		C5	25-35	5,70
Mikado Slowly growing shrub with dark green leaves. At the age of 10 years the s reaches the height of approx. 1 m. Yellow-orange flowers with dark ora spot. Frost resistance -20°C.			40-50	14,50
Nova Zembla	rec	f C5	25-35	5,70
Standard variety with ruby-red flowers at the turn of May /June. Very h to -28°C.	ardy	C15	40-50	14,50
Orangina**** Variety with intensive orange flowers and light green foliage. Flowering at turn of May/June. Hardy -18°C.	<i>light-or</i> t the	ange C5	25-35	5,70
P. J. M. Elite carolinianum The variety with purple-pink flowers, which appear very early at the turn of A May. Medium growing shrub with round shape and with dark green shiny lea (in winter brownish), fragrance. Very winter hardy plant and hardy on weather and full insolation.	aves	oink C5	20-25	5,70
P.M.A. Tigerstedt White flowers with light brown eyelet. Fairly strong growth up to 150 cm. frost hardy up to -36°C. Flowering in the first half of May.	white was the way was with the way was was with the way was a second with the way was	/n	20-25	5,70

VARIETY	FLOWER	CONT.	HEIGHT	PRICE
All shrubs with flower buds				Euro
Pearce`s American Beauty	dark pink	C5	25-35	5,70
Dark pink flowers with golden-yellow fleck. Fairly strong growth up to 180 cm. Compact shrub habit. Flowering in the half of June. Frost hardy up to -26°C.	·			-, -
Peter Alan Dark-violet flowers with an even darker eye, but lighter than the Burgundula	violet	C5	25-35	5,70
variety. Not very strong growth, dark-green leaves. Frost resistance -26°C. Pfauenauge® Attention-getting new variety! Wide-opened, light violet flowers are decorated with strong-saturated, claret, far-reaching fleck on the upper petal. The variety has tendency to partial flowering in Autumn. Hardy to -24°C.	light pink with deep- red eyelet	C5	25-35	5,70
Pohjola's Daughter	light pink	C5	25-35	5,70
The variety with light pink flowers. Medium growth, compact shrub habit. Growth up to 130 cm. Very frost resistance up to -28°C. Flowering in the first half of May.		C15	40-50	14,50
Polarnacht One of the darkest blooming varieties with intensive, dark purple-violet flowers in June. Inside they are black-violet with subtle contrasting light brown stamens. Blooming time in the beginning of June. Compact and slow growing shrub. Hardy to -22°C.	deep violet	C5	25-35	5,70
Prof. Horst Robenek Bright-pink flowers, definitely darker and strongly undulating edges of scraps, are creating the fanciful lace. Bushes are growing very slowly and densely. In the age 10 yares heights are achieving 70-100 cm. Frost hardy to -20°C.	light pink	C5	25-35	5,70
Progres	pink	C5	25-35	5,70
Variety with pink flowers, waved petals and big, red eyelet. Flowering in the second half of May. Frost hardy to -24°C.		C15	40-50	14,50
Purple Splendour Dark violet flowers with very dark great eyelet and wavy edges of petals. Flowering at the turn of May/June. Compact habit of a shrub. Frost resistance	violet	C5	25-35	5,70
to -24°C. Purpureum Grandiflorum	light violet	C5	25-35	5,70
Improved Catawb. Grandiflorum. Flowers bigger, a bit darker. Growth strong, well-shaped. Frost resistance to -30°C.	ngne violee	C15	40-50	14,50
Rasputin Deep-violet colour of the flower. The big, almost black mesh is forming the distinct contrast. Dark-green leaves. Height on average strong. Rather loose sort of the bush. Frost hardy to -27°C is blooming the end of the May, the beginning of June.	violet with black eyelet	C5	25-35	5,70
Red Impulse NOVELTY!	red	C5	25-35	5,70
A rhododendron hybrid with bright red flowers. At the age of 10 years reaches 1-1.5 m height. Leaves slightly twisted and somewhat wavy, like in Nova Zembla variety, which was involved in the creation of this hybrid. Frost resistance -24°C.				
Red Jack NOVELTY! Slightly funnel-shaped flowers, pure red. Strong bur compact growth, even, ight-green very large leaves. At the age of 10 years it reaches the height of 150-200 cm. Frost resistance -20°C.	red	C5	25-35	5,70
Roseum Elegans	pink	C5	25-35	5,70
Standard variety with pink-lilac flowers (first half of June), medium growing	•	C15	40-50	14,50
shrub and loose habit. High hardy to -30°C.		C35	60-80	33,50
Schneeauge White flowering variety. Flowers are decorated with wide purple drawing. Loosy, wide growing shrub. Blooming first half of May. Frost resistance	white with purple eyelet	C5	25-35	5,70
-27°C.	oroam nink	C.F.	05.05	E 70
Simona campylocarpum Medium strong growing shrub with great, dark leaves. Great pale cream-pink flowers (middle of May) with dark eyelet. Waved petal edges. Hardy to -22°C.	cream-pink	C5 C15	25-35 40-50	5,70 14,50

VARIETY	FLOWER	CONT.	HEIGHT	PRICE Euro
All shrubs with flower buds				
Sternzauber It is hard to resist the charm of this variety's flowers. Dark-red friezed petal edges that get lighter deeper into the flower, almost white receptacle! The bush grows strongly and broad, and the flowers form dense heads, which makes it look wonderful. Frost resistance -24°C.	pink	C5	25-35	5,70
St. Michel The variety of Finnish growing. White flowers with light pink hint. Slow growing shrub, up to 120 cm. Very frost hardy up to -37°C. Flowering in the first half of May.	white	C5	20-25	5,70
Taragona NOVELTY! The shrub grows compactly, with straight shoots and dark green leaves. At the age of 10 years the shrub reaches the height of 120-140 cm. Dark red shiny flowers without purple hint. Very promising and new. Frost resistance -26°C.	dark red	C5	25-35	5,70
Torero® The variety with dark red flowers. The colour does not change during blooming. Dark green leaves. Very high frost hardy -26°C.	red	C5	25-35	5,70
Van Weerden Poelmann Beautiful ruby-red flowers (at the turn of May/June) with darker fleck. Medium strong growing shrub. Hardy to -24°C.	red	C5	25-35	5,70
Von Oheimb Woislowitz Amongst different varieties of Rhododendron it is standing out with very big, shiny leaves, which strikingly gently coiffed, bright-pink flowers look with the yellow spot on the upper scrap relating to. He is reconciling around at the latest blooming varieties - blooms in the end of June. High frost hardy -26°C.	pink	C5	25-35	5,70
Winterpurpur An unusual rhododendron variety. Grows very slowly into a dome shape. In winter the leaves become brown purple in colour. Pink flowers with light purple shade. Frost resistance -25°C.	pink	C15	40-50	14,50
Władysław Jagiełło / Royal Red® NOVELTY! Intensively red flowers, composing big, impressive inflorescence. Grows with moderate intensity, has compact habit. Leaves are dark green, elongated, shoots thick and dark brown. Finnish varieties were not used in the crossing. The variety is characterized by high frost resistance and abundant flowering. Frost resistance up to -30°C.	red	C5	25-35	7,20
Zygmunt August Variety distinguished by very late and abundant flowering. Flowers - pink, large, with waved petals and long subtle pistils. Growth of the shrub - slow, habit - dense. Stem - rigid, the young of deep red colour. Leaves - dark green, long and slightly rolled up. Finnish varieties were not used in the crossing. The variety is characterized by high frost resistance. Frost resistance up to -30°C.	pink	C5 C15	25-35 40-50	7,20 16,20

RHODODENDRON YAKUSHIMANUM

This group of shrubs is characterized by low and dense shrub habit. Flowering time: in the first half of May. Most of these varieties are white or pink. They are suitable for small garden because of their small size. By designing a garden they should be placed in the foreground.

VARIETY	FLOWER	CONT.	HEIGHT	PRICE Euro
All shrubs with flower buds				
Astrid®	red	C5	20-30	5,70
The flowers of this variety are the reddest of all varieties in the Rh. yakushimanum group. The bushes grow slowly and broad. Frost resistance -24°C.		C10	30-40	14,50
Barmstedt Purple-pink flowers with lighter bottom and red fleck. Compact shrub habit. Slow growth. Blooming in the end of May. Frost resistance to -23°C.	purple-pink	C10	30-40	14,50
Blurettia The variety of Yakushima rhododendron. Blue-pink flowers. Compact, small shrub. Hardy to -23°C.	blue-pink	C5	20-30	5,70
Caroline Albrook	lilly-pink	C5	20-30	5,70
Lilly-pink flowers, markedly friezed and definitely darker edges. Blooms very profusely. Slowly grows broad. Frost resistance -25°C.		C10	30-40	14,50
Daniela	pink	C5	20-30	5,70
Compact, small shrub. The flowers are big, pink with lighter fleck. Promising novelty. Frost resistance -26°C.		C10	30-40	14,50
Excelsior Coiffed, bright-pink flowers. Shedding blossom are almost white. The slow height, the spherical, very much compact sort. Dark-green leaves. Frost resistance at least -22°C.	light pink	C5	20-30	5,70
Fantastica	dark pink	C5	20-30	5,70
One of the darker varieties among Yakushima rhododendron. The flowers are red in buds and turn lighter duringblooming. White fleck makes an impression of colourful inflorescens. Hardy to -25°C.		C10	30-40	14,50
Golden Torch A very slow growing variety. Cream- pink flowers turning paler while blooming. A very compact and dense growing shrub. Ball habit. Frost resistance up to -22°C.	cream- pink	C5	20-30	5,70
Goldprinz wardii	yellow	C5	20-30	5,70
Next yellow novelty. Well-shaped, yellow saturated flowers. Seems to become one of the best variety among Rh. wardii group. Frost hardy to -22°C.				
Gunborg	light pink	C15	30-40	14,50
Bright-pink flowers, just after overbloom are turning white. Young leaves covered with moss-like, later dull greenery. Every-year very small growth - up to 10 cm. Shapely, compact, hemispherical shrub. Frost resistance -22°C.				
Hoppy Nearly white flowers are light pink in buds. Quite strong growing variety among Yakushima rhododendron, regular shrub habit. Very abundant flowering. Frost resistance to -23°C.	white	C5	20-30	5,70
Kalinka	pink	C5	20-30	5,70
One of the strong growing varieties among Yakushima rhododendron. 10 years old shrubs are 0,8-1 m. The flowers are light red, turning dark red inside. Light wavy edges of petals. Dark green, frosted foliage. Frost resistance to -26°C.		C10	30-40	14,50
Loreley The efflorescent flowers with subtle rose colour, afterwards changing into cream-white with marked yellow nuance. The petal edges are strong waved. Compact, very slow growth of shrubs. Frost resistance to -22°C.	cream- yellow	C5	20-30	5,70

VARIETY	FLOWER	CONT.	HEIGHT	PRICE Euro
All shrubs with flower buds				
Lumina The variety of Yakushima rhododendron. Lilac-pink to ruby-pink flowers, waved petal edges. Compact, low, wide shrub. Hardy to -26°C. The flowers bloom at the turn of May/June.	pink	C5	20-30	5,70
Percy Wiseman Slow growing variety of Yakushima rhododendron. Flowers are pink in buds, after shooting out – light pink with light cream-coloured receptacle. Frost resistance to -22°C.	cream- coloured	C5 C15	20-30 30-40	5,70 14,50
S.Cok A bush growing very slowly. Reaches 50 cm height at the age of 10 years, building up a very regular, semispherical form. Shining leaves of juicy green color. Flowers creamy-white, buds pink.	cream- white	C5	20-30	5,70
Schneekrone Flowers pink in buds, after shooting out- white with light- pink tone. Wide, slow growing shrub. Frost resistance -25°C.	white	C5	20-30	5,70
Schneewitchen Very slow and dense growing variety with pure white flowers. Light pink in buds. Frost resistance about -24°C.	pink	C5	20-30	5,70
Schneverdingen Very slow growing variety. Thick, spherical bushes. Bright-pink flowers, edges of scraps undulating. Leaves in bright-green, the young ones covered with the silvery coating. Frost resistance about -22°C.	light pink	C5	20-30	5,70
Silberwolke Slow and wide growing variety. Light pink flowers turning pale during coming out of bloom. Regular growth, abundant blooming. Frost resistance -26°C.	pink-white	C5	20-30	5,70
Sneezy Very slow growing variety. Compact, dense shrub habit. Pink flowers, brighter inside. There is a big, dark spot on upper petal of flower. Frost resistance -22°C.	pink	C5	20-30	5,70
Władysław Łokietek / Royal Rosy® NOVELTY! Light pink, brighter inside flowers with waved petals. The variety grows typically for yakushimanum group. Leaves are dark green, habit dense and compact. It's distinguished by attractive silvery tomentose on young leaves which gets rubbed away with time and brown, soft tomentose at the bottom of the leaves. Frost resistance up to -30°C.	pink	C5	20-30	7,20

RHODODENDRON WILLIAMSIANUM

VARIETY	FLOWER	CONT.	HEIGHT	PRICE Euro
All shrubs with flower buds				
Claudius	pink	C5	25-35	5,70
Stands out for its large and strongly open flowers of pink colour. Grows slowly and densely. The bushes do not grow high, but grow broad. Frost resistance -22°C.		C15	40-50	14,50
Gartendirektor Glocker Abundantly blooming variety with red pink flowers. Slow growing shrub. 10-year	pink-red	C5	25-35	5,70

Abundantly blooming variety with red pink flowers. Slow growing shrub. 10-year shrubs grow 70 cm tall and 90 cm wide. Hardy to -22°C.

RHODODENDRON REPENS

The shrubs are characterized by slowing growth and abundant flowering. Funnel flowers are mostly dark red. The varieties of this group start blooming earlier than multiflower hybrids, at the end of April.

VARIETY	FLOWER	CONT.	HEIGHT	PRICE Euro
All shrubs with flower buds				
Baden Baden****	purple-red	C5	20-30	5,70
Typical variety for Rhododendron repens with purple- red flowers. Compact shrub habit. Flowering very early in May. Frost resistance -25°C.				
Bengal	purple-red	C5	20-30	5,70
One of the most beautiful creeping rhododendrons. The flowers are darker than the flowers of Bad Eilsen. Glossy leaves. Frost resistance -22°C.				
Scarlet Wonder	purple-red	C5	20-30	5,70
Typical variety for Rh. repens. Red flowers; wide slow growing shrub. Frost				

Typical variety for Rh. repens. Red flowers; wide slow growing shrub. Frost resistance to -22°C.

LARGE RHODODENDRONS IN CONTAINERS

digged from the field Height 80-150cm, diameter 100-300cm

VARIETY	FLOWER	Height/ diamater	PRICE Euro
All shrubs with flower buds			
Catawbiense Grandiflorum Strong growing variety. Flowers at the beginning of June are light lilac. Full frost hardy to -30°C. Well known and friendly plants.	dark lilac	80-100	75,00
Cunningham's White caucasicum	white	70-90	75,00
Slow growing, compact shrub with dark green leaves. White flowers appear		130-150	125,00
very early. Frequent blooming in autumn. Hardy to -21°C.		160-180	250,00
Dr. H. Dresselhuys	red	80-90	75,00
Red colour of the flower with delicate violet. He is blooming on the turning point		100-120	87,50
of the May and the June. It is growing strongly, 10-years old shrubs have 180cm height and 160 cm wide. Frost hardy to -26 $^{\circ}$ C.		120-140	125,00
Hoppy Nearly white flowers are light pink in buds. Quite strong growing variety among Yakushima rhododendron, regular shrub habit. Very abundant flowering. Frost resistance to -23°C.	white	140-160	250,00
Nova Zembla	red	80-100	75,00
Standard variety with ruby-red flowers at the turn of May /June. Very hardy to -28 $^{\circ}\text{C}.$		100-120	100,00
Roseum Elegans	pink	80-100	75,00
Standard variety with pink-lilac flowers (first half of June), medium growing		100-120	100,00
shrub and loose habit. High hardy to -30°C.		120-140	125,00

AZALEAS

Knapp – Hill, Mollis, Ghent and other strongly growing azaleas.

This is a group of shrubs with fabulously colourful flowers. With their lesser requirements they settle for much worse habitat conditions. At the age of 10 years they reach the height of 1 - 1.5 m.

Splendid enormous flowers with wavy petal edges, orange, red, and pink in colour – these are the characteristics that distinguish the Knapp-Hill azaleas. The beauty of the other varieties is in no way second to that of the of the foregoing group. They include shrubs with smaller but fragrant flowers or building wonderful "pompon" inflorescence.

VARIETY	FLOWER	CONT.	HEIGHT	PRICE Euro
All shrubs with flower buds	-			
Anneke	yellow	C5	40-50	5,00
Cannon's Double	pink-white	C5	40-50	5,00
		C15	60-100	12,50
Cecile	salmon- pink	C5	40-50	5,00
Chanel	pink	C5	40-50	5,00
		C15	60-100	12,50
Csardas	light orange	C5	40-50	5,00
Doloroso	dark red	C5	40-50	5,00
Feuerwerk	orange-red	C5	40-50	5,00
		C15	60-100	12,50
Gibraltar	orange	C5	40-50	5,00
Glowing Embers	orange	C5	40-50	5,00
		C15	60-100	12,50
Golden Lights	golden- orange	C5	40-50	5,00
	<u>-</u>	C15	60-100	12,50
Golden Sunset	yellow- orange	C5	40-50	5,00
Homebush	dark-pink	C15 C5	60-100 40-50	12,50 5,00
Homesush	2	C15	60-100	12,50
Juanita	dark-pink	C5	40-50	5,00
Klondyke	yellow -	C5	40-50	5,00
	orange	C15	60-100	12,50
Nabucco	dark-red	C5	40-50	5,00
Oxydol	white with yellow eyelet	C5	40-50	5,00
Parkfeuer	red	C5	40-50	5,00
Persil	white with yellow eyelet	C5	40-50	5,00
Sarina	pink	C5	40-50	5,00
Satomi	salmon-pink	C5	40-50	5,00
Schneegold	white with	C5	40-50	5,00
	yellow eyelet	C15	60-100	12,50
Silver Slipper	white	C5	40-50	5,00
Spek's Orange	yellow	C5	40-50	5,00
		C15	60-100	12,50
Sunte Nectarine	yellow	C5	40-50	5,00
Tunia	mint.	C15	60-100	12,50
Tunis	pink- orange	C5	40-50	5,00
	5. a90	C15	60-100	12,50

JAPANESE AZALEAS

VARIETY		FLOWER	CONT.	HEIGHT	PRICE Euro
** shrubs partially with flower buds	Size of flower: x - s	mall, xx - medium, x	xx - big		
Albiflorum		xx/ white	C1	8-12	2,25
			C2	12-18	3,60
Blaue Donau		xxx/ pink-violet	C1	8-12	2,25
			C2	12-18	3,60
Canzonetta		xxx/ carmine-pink	C1	8-12	2,25
			C2	12-18	3,60
Enzett		xx/ dark pink	C1	8-12	2,25
			C2	12-18	3,60
Gabriele		xx/ pink	C1	8-12	2,25
		, , ,	C2	12-18	3,60
Geisha		xxx/ pink	C1	8-12	2,25
			C2	12-18	3,60
Geisha Orange		xxx/ light red-	C1	8-12	2,25
		orange	C2	12-18	3,60
Kermesina		xx/ pink	C1	8-12	2,25
Manusasina Allas		/hita	C2	12-18	3,60
Kermesina Alba		xx/ white	C1	8-12	2,25
Kermesina Rosé		vy/ mimls white	C2	12-18	3,60
Kermesina Rose		xx/ pink-white	C1 C2	8-12 12-18	2,25 3,60
W		and minds			
Kurume		xx/ pink	C1	8-12	2,25
Ledikanense		xx/ violet-pink	C1	8-12	2,25
			C2	12-18	3,60
Luzi		xxx/ white	C1	8-12	2,25
Maruschka		xxx/red	C1	8-12	2,25
Nordlicht		xxx/ coral	C1	8-12	2,25
			C2	12-18	3,60
obtusum		xxx/ coral	C1	8-12	2,25
			C2	12-18	3,60
Orlice		xx/ pink-violet	C1	8-12	2,25
			C2	12-18	3,60
Princess Anne		xx/ yellow	C1	8-12	2,25
			C2	12-18	3,60
Rubinstern		xx/ darkruby	C1	8-12	2,25
			C2	12-18	3,60
Staccato		xxx/ violet	C1	8-12	2,25
			C2	12-18	3,60
Torello		xxx/ carmine	C1	8-12	2,25

RHODODENDRON IMPEDITUM

VARIETY	FLOWER	CONT.	HEIGHT	PRICE Euro
** shrubs partially with flower buds				
Amethyst	light violet-pink	C1	8-12	2,25
	ngni violet-pink	C2	12-18	3,60
Billy Novinka	white	C1	8-12	2,25
		C2	12-18	3,60
Blue Silver	light violet	C1	8-12	2,25
		C2	12-18	3,60
Blue Tit	dark blue	C1	8-12	2,25
		C2	12-18	3,60
drumonium	violet-blue	C1	12-18	2,25
Gristede	dark blue	C1	8-12	2,25
		C2	12-18	3,60
imp. hybrydum	light violet-pink	C1	8-12	2,25
		C2	12-18	3,60
Krumlov	violet-pink	C1	8-12	2,25
Lauretta	blue	C1	8-12	2,25

MAGNOLIAS

VARIETY	FLOWER	CONT.	HEIGHT	PRICE Euro
Alba Superba - soulangeana	white	C5	60-80	10,00
Alexandrina	purple	C5	100-150	10,00
Amabilis	white	C5	60-80	10,00
Ann	dark pink	C5	60-80	10,00
Betty	dark pink	C5	60-80	10,00
George Henry Kern	light pink	C5	70-90	10,00
Heaven Scent	pink-white	C5	100-120	10,00
Judy	dark pink	C5	100-120	10,00
Leonard Messel loebneri	pink	C5	60-80	10,00
Merrill loebneri	white	C5	60-80	10,00
Nigra liliflora	ruby-pink	C5	50-70	10,00
Pinkie - soulangeana	light pink	C5	100-150	10,00
Rustica Rubra - soulangeana	dark pink	C5	60-80	10,00
Snowdrift loebneri	white	C5	60-80	10,00
soulangeana	pink-white	C5	100-120	10,00
Susan	dark pink	C5	50-60	10,00
Verbanica - soulangeana	dark pink	C5	100-140	10,00
		C15	140-170	15,00

OTHER ERICACEAE PLANTS

VARIETY	CONT.	HEIGHT	PRICE Euro
Andromeda polifolia 'Blue Ice'	C1	5-8	2,25
	C2	12-15	3,00
Andromeda polifolia 'Nikko'	C1	5-8	2,25
	C2	12-15	3,00
Empetrum nigrum	C1	8-12	2,25
	C2	12-15	3,00
Gaultheria procumbens	C1	10-14	1,90
Kalmia angustifolia	C1	8-12	2,25
· ·	C2	12-18	3,00
Kalmia latifolia 'Kaleidoskop'	C10	30-40	12,50
Leucothoe fontanesiana 'Rainbow'	C2,5	15-20	3,75
	C5	20-25	5,50
Leucothoe fontanesiana 'Whitewater'	C5	20-25	5,50
Leucothoe axillaris 'Red Lips'	C2,5	15-20	3,75
·	C5	20-25	5,50
Pieris japonica 'Debutante'	C2,5	20-25	3,75
• •	C5	25-30	5,50
Pieris japonica 'Little Heath'	C2	20-25	3,75
Pieris japonica 'Mountain Fire'	C2	20-25	3,75
	C5	25-30	5,50

BLUEBERRY

(Vaccinium corymbosum)

**** varieties available from Autumn 2016

The blueberry plants arevery well rooted, hardened off and well-branched from the very plant shoot. Bushes are produced by the micro-cutting method developed in our nursery. Frost hardiness follows Brazelton 2000.

Varieties produced under license:

Aurora®, Draper®, Liberty®**** 2-year old C2 35-45 2,70 The material in the varieties Aurora, Draper, Liberty in C2 container is offered exclusively for plantation. The referenced varieties are covered by our Dutch partner blueberry nursery - producer's license. The license fee is 0.50 €.

VARIETY			CONT.	HEIGHT	PRICE Euro
Varieties are presented	in order of fruiting time				
Chanticleer***	NOVELTY!	2-year old	C2	35-45	2,70
•	age growth strength and upright hal th a long period of fruiting. Blooms I		d sour. One	e of the earlie	st maturin
Earliblue		2-year old	C2	35-45	2,70
	If shrubs. The variety ripening very lue wax coating The fruits from lat hardiness.				
Duke****		2-year old	C2	35-45	2,70
the diversified size. It fits to the Bluecrop variety. In	egularly illuminate. Collected into ci s for the processing as well as to countries of western Europe found	the direct consumption. Accord at present best, early bearing fru	ling to Ame it variety.	erican data d	comparable
Spartan		2-year old	C2	35-45	2,70
•	e few days after Earliblue variety.				ng. Vinous
	shrubs grow very strong and are from	ost nardy. The variety requires go	ou reriiizai	1011.	
Patriot**** American novelty, very propertion mature in the beginning	promising in our climate. The shru g of July. The fruitfulness amounts	2-year old bs grow 120-180 cm tall, the sp to 4.5-9 kg / shrub. Great fruits,	C2 prouts are 49 berries/	35-45 raised. The 1 0.25 I, tasty,	with strong
Patriot**** American novelty, very p to mature in the beginning skin and high quality. Firs crops are smaller, 60 be	romising in our climate. The shru	2-year old bs grow 120-180 cm tall, the sp to 4.5-9 kg / shrub. Great fruits, er on the berries may be mecha ter on sunny and warm stands,	C2 prouts are 49 berries/ nically pick then crops	35-45 raised. The 1 0.25 I, tasty, ed. The fruits are greater	fruits begii with strong from late with bette
Patriot**** American novelty, very posto mature in the beginningskin and high quality. First crops are smaller, 60 bequality. They are suitable	promising in our climate. The shru g of July. The fruitfulness amounts st berries are manually picked. Late rries/0.25 I. This variety grows bet	2-year old bs grow 120-180 cm tall, the sp to 4.5-9 kg / shrub. Great fruits, er on the berries may be mecha ter on sunny and warm stands,	C2 prouts are 49 berries/ nically pick then crops	35-45 raised. The 1 0.25 I, tasty, ed. The fruits are greater	fruits begii with strong from late with bette
Patriot**** American novelty, very posto mature in the beginning skin and high quality. First crops are smaller, 60 be quality. They are suitable cinnamomi. Bluejay Strong growig variety. Sporthe variety ripening at sin	promising in our climate. The shru g of July. The fruitfulness amounts st berries are manually picked. Late rries/0.25 I. This variety grows bet	2-year old bs grow 120-180 cm tall, the sp to 4.5-9 kg / shrub. Great fruits, er on the berries may be mechater on sunny and warm stands, s. Frost hardy to –34°C. <i>It is assu</i> 2-year old its. Quite big, light blue, aromatic can be mechanically picked wh	C2 prouts are 49 berries/ nically pick then crops amed to be C2 c fruits gat	35-45 raised. The solution of the fruits are greater resistant to F 35-45 hered in loos	fruits beging with strong soft from late with bette shytophtora 2,70 see clusters
Patriot**** American novelty, very posto mature in the beginning skin and high quality. First crops are smaller, 60 be quality. They are suitable cinnamomi. Bluejay Strong growig variety. Sporthe variety ripening at sin	promising in our climate. The shruing of July. The fruitfulness amounts st berries are manually picked. Laterries/0.25 I. This variety grows bet for industrial and amateur plantings preading schrub habit of elder planting time as Bluecrop. The berries	2-year old bs grow 120-180 cm tall, the sp to 4.5-9 kg / shrub. Great fruits, er on the berries may be mechater on sunny and warm stands, s. Frost hardy to –34°C. <i>It is assu</i> 2-year old its. Quite big, light blue, aromatic can be mechanically picked wh	C2 prouts are 49 berries/ nically pick then crops amed to be C2 c fruits gat	35-45 raised. The solution of the fruits are greater resistant to F 35-45 hered in loos	fruits beging with strong soft from late with bette shytophtora 2,70 see clusters
Patriot**** American novelty, very post to mature in the beginning skin and high quality. First crops are smaller, 60 be quality. They are suitable cinnamomi. Bluejay Strong growig variety. Sponder variety ripening at sinvariety. Sufficient frost and Goldtraube Delicious blueberry variety	promising in our climate. The shruing of July. The fruitfulness amounts st berries are manually picked. Laterries/0.25 I. This variety grows bet for industrial and amateur plantings preading schrub habit of elder planting time as Bluecrop. The berries	2-year old bs grow 120-180 cm tall, the sp to 4.5-9 kg / shrub. Great fruits, er on the berries may be mechater on sunny and warm stands, s. Frost hardy to -34°C. It is assuenced by the compact of the	C2 prouts are 49 berries/ nically pick then crops amed to be C2 c fruits gat ich is one of C2 avour. The	35-45 raised. The roll of the fruits are greater resistant to F 35-45 hered in loos of the best po 35-45 fruit does no	fruits beging with strong some some strong lates with better the strong some some some some some some some some
Patriot**** American novelty, very post to mature in the beginning skin and high quality. First crops are smaller, 60 be quality. They are suitable cinnamomi. Bluejay Strong growig variety. Sponder variety ripening at sinvariety. Sufficient frost and Goldtraube Delicious blueberry variety	promising in our climate. The shruing of July. The fruitfulness amounts st berries are manually picked. Lateries/0.25 I. This variety grows bet for industrial and amateur plantings preading schrub habit of elder planting time as Bluecrop. The berries didisease hardiness. Requires frequently, blooms in mid-summer. Perfect	2-year old bs grow 120-180 cm tall, the sp to 4.5-9 kg / shrub. Great fruits, er on the berries may be mechater on sunny and warm stands, s. Frost hardy to -34°C. It is assuenced by the compact of the	C2 prouts are 49 berries/ nically pick then crops amed to be C2 c fruits gat ich is one of C2 avour. The	35-45 raised. The roll of the fruits are greater resistant to F 35-45 hered in loos of the best po 35-45 fruit does no	fruits beging with strong some some strong lates with better the strong some some some some some some some some
Patriot**** American novelty, very poor mature in the beginning skin and high quality. First crops are smaller, 60 be quality. They are suitable cinnamomi. Bluejay Strong growig variety. Sporthe variety ripening at sinvariety. Sufficient frost and coldtraube Delicious blueberry variety mouth. Grows better when the the they wariety with big and we friuts grow loosy in long of the they are the they are	promising in our climate. The shruing of July. The fruitfulness amounts st berries are manually picked. Lateries/0.25 I. This variety grows bet for industrial and amateur plantings preading schrub habit of elder planting time as Bluecrop. The berries didisease hardiness. Requires frequently, blooms in mid-summer. Perfect	2-year old bs grow 120-180 cm tall, the sp to 4.5-9 kg / shrub. Great fruits, er on the berries may be mecha ter on sunny and warm stands, s. Frost hardy to –34°C. It is assu- 2-year old ts. Quite big, light blue, aromati s can be mechanically picked wheth cutting and watering. 2-year old for freezing, does not lose the fl ast-growing variety with fruit large 2-year old same time. Fruits begin maturing grapes. Very promissing variety.	C2 prouts are 49 berries/ nically pick then crops amed to be C2 c fruits gat ich is one co C2 avour. The r than the a C2 g in the end	35-45 raised. The raised. The fruits are greater resistant to F 35-45 hered in loos of the best poor strait does not everage blueb. 35-45 of second w	fruits beging with strong some some lates with bette wi
Patriot**** American novelty, very poor mature in the beginning skin and high quality. First crops are smaller, 60 be quality. They are suitable cinnamomi. Bluejay Strong growig variety. Sporthe variety ripening at sinvariety. Sufficient frost and coldtraube Delicious blueberry variety mouth. Grows better when the the they wariety with big and we friuts grow loosy in long of the they are the they are	promising in our climate. The shrung of July. The fruitfulness amounts st berries are manually picked. Laterries/0.25 I. This variety grows bet for industrial and amateur plantings preading schrub habit of elder planting time as Bluecrop. The berries disease hardiness. Requires frequently, blooms in mid-summer. Perfect in there are a few of them around. For every aromatic fruits, maturing in the coatings, looks similar to bunch of general services.	2-year old bs grow 120-180 cm tall, the sp to 4.5-9 kg / shrub. Great fruits, er on the berries may be mecha ter on sunny and warm stands, s. Frost hardy to –34°C. It is assu- 2-year old ts. Quite big, light blue, aromati s can be mechanically picked wheth cutting and watering. 2-year old for freezing, does not lose the fl ast-growing variety with fruit large 2-year old same time. Fruits begin maturing grapes. Very promissing variety.	C2 prouts are 49 berries/ nically pick then crops amed to be C2 c fruits gat ich is one co C2 avour. The r than the a C2 g in the end	35-45 raised. The raised. The fruits are greater resistant to F 35-45 hered in loos of the best poor strait does not everage blueb. 35-45 of second w	fruits beging with strong some some lates with bette wi
Patriot**** American novelty, very poor to mature in the beginning skin and high quality. First crops are smaller, 60 be quality. They are suitable cinnamomi. Bluejay Strong growig variety. Sponsor of the variety ripening at sin variety. Sufficient frost and continuous blueberry variety mouth. Grows better when the	promising in our climate. The shrung of July. The fruitfulness amounts st berries are manually picked. Laterries/0.25 I. This variety grows bet for industrial and amateur plantings preading schrub habit of elder planting time as Bluecrop. The berries disease hardiness. Requires frequently, blooms in mid-summer. Perfect in there are a few of them around. For every aromatic fruits, maturing in the coatings, looks similar to bunch of general services.	2-year old bs grow 120-180 cm tall, the sp to 4.5-9 kg / shrub. Great fruits, er on the berries may be mecha ter on sunny and warm stands, s. Frost hardy to -34°C. It is assu- 2-year old its. Quite big, light blue, aromati is can be mechanically picked where the cutting and watering. 2-year old for freezing, does not lose the flast-growing variety with fruit large 2-year old same time. Fruits begin maturing grapes. Very promissing variety. Chanical picking.	C2 prouts are 49 berries/ nically pick then crops amed to be a C2 c fruits gat ich is one c C2 avour. The ar than the a C2 g in the end The fruits a	35-45 raised. The raised. The ro.25 I, tasty, ed. The fruits are greater resistant to F 35-45 hered in loos of the best point does not average blueb. 35-45 of second were known as a 35-45	fruits beging with strong strom later with better thytophtora 2,70 see clusters bints of this 2,70 seek in July the best for 2,70 seek in July the 2,70 seek in 2,70 seek in 3,70 seek in 3

Early variety, classified as weakly growing. Proliferates easily, produces large flat fruit with green waxy bloom. Recommended for amateur cultivation.

VARIETY	CONT.	HEIGHT	PRICE Euro
---------	-------	--------	---------------

Chandler**** 2-year old C2 35-45 2,70

Sensational novelty! Huge, tasty, powder blue fruits about the diameter of 2-3 cm! Good point of this variety is great fructification. Fruits are ripening successively. It lasts for the period of bearing fruit from 4 till 6 weeks. He is starting in the fishing for the July and it is finishing in the second-half of August. Some sources are providing the considerably more late period of bearing fruit - till the middle of the September. It isn't fit for long keeping. Easily is surrendering to damaging in the transport. Straightened bushes, well branched. Height on average strong, about 150 cm. An insufficient resistance to frost can be a negative feature in Polish conditions what still requires observation.

Bluecrop 2-year old C2 35-45 2,70

Strong growth of shrubs up to 160-200 cm. Bally, loose habit. The shrubs with abundant fructification have a tendency to half-opening. Dark green foliage. Very fruitful variety [4-9 kg per shrub]. Great fruits [65 berries/0.25 I], bally, equal size in clusters, covered with very intensive wax coating. They are suitable for manual and mechanical picking. Compact, medium fragrant, vinous-sweet, greenish flesh. Bluecrop is medium early variety, fruit ripening in the middle of July. Good points of this variety are small sensibility to dry weather and sufficient hardiness [-28°C to -34°C]. A bad point is the tendency to very abundant fructification.

Bonus 2-year old C2 35-45 2,70

Fertile variety. The fruit is very large, with a diameter of approx. 2cm, light, sweet and tasty. It bears fruit in the first half of August. It is characterized by high frost resistance (-34°C).

Nelson** NOVELTY!** 2-year old C2 35-45 2,70

Very fertile, late maturing variety - about 1-2 weeks after Bluecrop variety. Growth of the shrub - strong, habit - dense. Fruit - very large, bright, slightly flattened, with an intense aroma, very well endures transportation. Variety distinguished by a high resistance to frost up to -34°C.

Meader NOVELTY! 2-year old C2 35-45 2,70

Very fertile variety of big strong growth, expansive habit and rigid stems. Fruit - very big, tasty, suitable for processing. Bears fruit in late July and early August. Variety known for a very high-frost resistance - up to -34°C.

Brigitta 2-year old C2 35-45 2,70

Australian variety. Strong growth of shrubs. Big, tasty, firm, with high quality fruits. The berries mature late but can be mechanically picked. They can be stored for a long time in a controlled conditions. Very promising variety, especially suitable for industrial plantings.

Darrow 2-year old C2 35-45 2,70

The variety ripening later than variety Bluecrop (from the end of July till the middle of August). Great flatted fruits covered with light wax coating. Compact, vinous-sweet flesh tastes good after ripening. Good point of this variety is great fructification. There is a danger during cold summers that some fruits will not ripen enough before the autumn slight frosts.

Elizabeth 2-year old C2 35-45 2,70

Variety valued in west of Europe for late maturing fruit. Found spiciest of varieties. Fruits maturing very profusely. Brown fruits. Recommended for industrial plantings. In Polish conditions the part of fruits can not reach maturity before slight frost. Bushes are growing strongly and widely.

Elliott**** 2-year old C2 35-45 2,70

Good point of this variety is great fructification. Strong and compact growth of bushes. Medium-sized, strongly waxen fruits. It bears fruit very late, from the half of the August. It can not manage the part fruits to mature on time. In the cold store it is keeping till two months! After long cooling however fruits are losing the taste. In spite of this fault, very much readily planted in the West. In Polish conditions is being still under testing.

HALF-HIGH BLUEBERRY

(Vaccinium corymbosum x Vaccinium angustifolium)

Varieties produced under license: Aino®, Alvar®, Arto®, Jorma®

in diameter. Resistant to low temperatures. Exclusively for amateur cultivation.

The material in the varieties Aino, Alvar, Arto, Jorma in C2 container is offered exclusively and covered by MTT Laukaa breeder's

J	license.	The additional	license	fee is	0.30 €.

VARIETY	A 11001100 100 10 0.00 C.		CONT.	HEIGHT	PRICE Euro
,	NOVELTY! ith high frost resistance. Habit thick, compact gnovelty, recommended for amateur plantin	•	C2 iste, aromat	30-40 iic, rich in an	2,70 thocyanins
,	NOVELTY! ith high frost resistance. Early fructification procyanins. Promising novelty recommended		C2 low. Fruits	30-40 with a mild, s	2,70 weet taste
,	NOVELTY! with high frost resistance. Grows fast, similal an anthocyanins. Promising novelty recommen	,	C2 ts with inter	30-40 nse sweet ta	2,70 ste, slightly
	NOVELTY! ith high frost resistance. Yield 2-3 times in a hocyanins. Promising novelty, recommended	· ·	C2 trong. Fruits	30-40 s with a mild,	2,70 sweet and
Semi-dwarf variety. H Grows well even in r	nium corymbosum x Vaccinium angustifolium lybrid of low and high growing blueberry, ground so favourable soil conditions. In view of allotments. Recommended for cultivation in	ows up to 60-120 cm. Dark by f the shrub's low requirement	nts and sma	all size, it is	particularly
	/accinium corymbosum x Vaccinium angusti smallest in size of all blueberries. Height		C2 ured fruit a	30-40 pproximates	2,70 with 1 cm

Pink LemonadeNOVELTY!2-year oldC2,535-453,75

Sensational novelty of pink fruit colour rare among high blueberry! The shrub grows slowly, grows up to 1.5 m in height. Habit - compact, very dense. Leaves oblong and glossy. Fruits small, sweet, and aromatic, in the maturing stage; assumes a dark pink colour. Late fruiting variety-in late August and early September, very fertile. Autumn Leaves turn from a golden to a red colour.

SERVICEBERRY

(Amelanchier lamarckii)

Serviceberry is a kind of fruit-bearing shrub belonging to the family Rosaceae, naturally occurring in the areas of North America. Due to the taste and health qualities of the fruits as well as the decorative look of the shrubs throughout the year, they are very popular in Canada and are becoming a promising novelty in European countries. Fruits are mild in taste, sweet, purple and dark blue. It's fruting from mid-June to mid-July. Habit loose, upright. Reaches about 2-5m in height depending on variety. The shrub is completely resistant to frost.

VARIETY	CONT.	HEIGHT	PRICE Euro
Amelanchier lamarckii	C2	40-60	2,50
Fruit-bearing shrubs, belonging to the family Rosaceae, naturally occurring in North Ameri blooms generously with delicate white flowers, in the summer gives mild in flavor, sweet, pur pests and diseases. It has low cultivation requirements, prefers permeable soil with a pH slight	ple and dark	blue fruit. F	,
Amelanchier arborea 'Robin Hill'	C3	40-60	5,00
High shrub or small tree. It flowers generously and early. White flowers, pink in bud, fragrant. I autumn the leaves get red tints.	Fruit small, a	approx. 8 mn	n, edible. In
Amelanchier bartramiana 'Eskimo'	C2	40-60	5,00
Even young shrubs bear fruit. Fruit red before ripening, ripe burgundy-purple; sweet, very tasty	' .		
Amelanchier 'Prince William'	C2	40-60	5,00
Stunning variety of serviceberrry. Ripe fruit are juicy-red to burgundy. Bear fruit abundant nursery.	ly even sm	all shrubs, e	even at the
Amelanchier rotundifolia 'Edelweiss'	C2	40-60	5,00

The smallest variety in the group of serviceberries, grows up to 2,5 m. It blooms profusely in April with large white flowers. Fruit red before ripening, ripe are very dark, almost black; sweet, tasty, like the other varieties willingly eaten by birds.

MINI KIWI

(Actinidia arguta)

Actinidia (mini kiwi) is North-East Asia originated, vigorous, frost resistant climber with aromatic fruit, resembling a small kiwi appearance and size similar to a walnut. Due to excellent, sweet and sour taste of fruit and their high health benefits (much higher than the classic kiwi) mini-kiwi is sensational novelty. Fruits are valuable due to the antioxidant properties, high content of vitamin A, C, K and E, fiber, folic acid and actinidin enzyme, which improves digestion. The peel of fruit is very delicate, so they can be eaten without peeling. Actinidia is mostly dioecious, fruiting requires both male and female plants. It's flowering in May. It starts bearing fruit at the age of about 3 years. In autumn the leaves turn into attractive yellow color. It grows up to 6m and has no special cultivation requirements.

VARIETY		CONT.	HEIGHT	PRICE Euro
Ananasnaya		C2	60-80	2,70
Russian mini-kiwi variety, characterized by a very high frost resistance. Red, tasty the peel. Bear fruit in October. Variety recommended for plantations. Bear fruit every		,	are suitable	to eat with
Geneva		C2	60-80	2,70
Earliest ripening variety of Actinidia. The fruit ripens in mid-September. It require resistance of -30°C. Like other Actinidia requires a pollinator for fruiting.	es supports a	and sunny p	oosition. Ver	y high frost
Julia		C2	60-80	2,70
The fruit is very large, sweet, yellow-green, oval. They ripen in September. Self-po	ollinating varie	ety, even yo	oung plants b	ear fruit.
Jumbo		C2	60-80	2,70
Very hardy and fast growing variety. Fruit green, large, two times bigger than at $\ensuremath{\text{p}}$ October.	olants typical	for this spe	ecies. The fru	uit ripens in
Ken's Red The fruit is large, up to 4cm long, green; sunlit become purple. They ripen in lat eaten unpeeled. Variety is very fertile.	e Septembe	C2 r / October.	60-80 Very delicio	2,70 ous, can be
Kokuwa		C2	60-80	2,70
Bisexual variety with the same characteristics as variety Issai. Fruit delicious, September to late October. Even young plants bear fruit.	with a taste	e of honey	. Bears fruit	from mid-
Purpurna Sadowa		C2	60-80	2,70
Very fertile variety. Fruit red, oval, approximately 3,5 cm long, very tasty. Results i	n the end of	September.		
Rogów		C2	60-80	2,70
Very fertile variety, originated from Polish breeding. Bear fruit in late September ripen in September-October. Fruit arise already at young plants.	. Fruits gree	n, sweet ar	nd sour, aror	natic. They
Weiki F		C2	60-80	2,70
Female variety. Fruit length of about 3 cm, green, at the sunlit side red brown, rip bit earlier, which ripen during storage. Even young plants bear fruit.	en in Octobe	er, but you o	can pick ther	n up a little
Weiki M		C2	60-80	2,70
Male clone of Actinidia, which should be planted approx. every fifth shrub in order	to obtain frui	t on the fem	nale shrubs	

(Actinidia kolomikta)

VARIETY	CONT.	HEIGHT	PRICE Euro
Adam Male Actinidia's variety with fragrant flowers. It flowers in May. Green leaves with white-pink en	C2	60-80	2,70
Dr Szymanowski	C2	60-80	2,70

Polish variety of Actinidia with very sweet, aromatic fruits, which are a rich source of vitamin C. It has a long fructification period (from August to the end of autumn). An additional advantage is ornamental foliage. High frost resistance up to -35°C.

BLUE HONEYSUCKLE

(Lonicera caerulea L. var. kamtschatica)

Blue Honeysuckle is a fruity shrub native to north-eastern Asia, which is growing in popularity due to its health benefits and taste. Fruits are blue, oblong, sweet-sour, 3-4cm long, covered with wax coating. High fertility obtained 2-3kg of fruit from one shrub. For good fruiting you should plant at least 2 varieties side by side. It's fruits generous, very early (mid-May). The shrub has a high resistance to drought and extremely high frost resistance – over 40 degrees. Due to its low growth requirements and early fruiting, it is a promising alternative to American blueberry.

VARIETY	CONT.	HEIGHT	PRICE Euro
1-17-59	C1	20-25	2,10
	C2****	25-35	2,50
Russian variety of very large shrub, reaching over 2 cm long, with a sweet and sour taste, a frost resistance.	nd long last	ing. Variety	of very high
Amphora	C1	20-25	2,10
	C2****	25-35	2,50
Variety grown at the experimental station in Pawłowska, of dense, compact habit and medium and sour, of barrel- shape, low susceptibility to shedding and uniform ripening and very we the end of May.	0		
Blue Velvet	C1	20-25	2,10
	C2****	25-35	2,50
Popular variety of blue honeysuckle with distinctive leaves, covered with gray-green velve growing up to 1m in height. The fruit is very big, tasty, and slightly acidic with a dark blue color		ng and sprea	ading habit
Czelabinka	C1	20-25	2,10
	C2****	25-35	2,50
Quite fertile, strong growing variety of dense habit. Grows up to 1.7m in height Fruits early - in of over 2 cm and barrel-shaped.	May. Fruit	is very large,	with length
Duet	C1	20-25	2,10
Popular variety with an upright habit, and growing up to 1.5 m in height. Fruit - big, sweet length, with a strong wax coating.	, elongated,	reaching ab	out 2cm ir
KRZ3 Watra	C1	20-25	2,10
	C2****	25-35	2,50
Quite a strong growing variety. Fruit - big, oblong, slightly acidic, tasty. Habit - dense, stocky intense green, oval, of length 5-8cm.	. Stem - rig	id and uprigh	nt. Leaves
Lebeduska	C1	20-25	2,10
	C3****	25-35	2,50
Russian fertile variety of wide-spreading habit. Fruit of medium size, barrel-shaped, supple, Distinguished by a low susceptibility to shedding. Fruits in May.	and of thic	k skin and s	weet taste
Leningradskij Velikan	C1	20-25	2,10
•	C1,5	25-30	2,50
	C2****	25-35	2,50
Quite fertile variety grown at the experimental station in Pawłowska. Fruit - big, sweet, barrel Ripens in May. Shrub growth- strong, habit - dense and upright. Reaches up to 1,8m in height	l-shaped, co		,
Morena	C1	20-25	2,10
	C2****	25-35	2,50
Very fertile, Russian variety of blue honeysuckle. Upright habit, dense, medium growth streng coating, of sweet and sour taste and blue colour. Fruits in May.	gth. Fruit - v	ery big, oval,	with a wax
Nimfa	C1	20-25	2,10
	C2****	25-35	2,50

Very fertile Russian variety grown by Nikolai Wawiłow, of medium growth strength, attaining about 1,5m in height. Leaves slightly rolled up. Fruits very big- they reach up to 2,5cm in length, sweet, aromatic, barrel-shaped and uniform surface. Ripens in May, about 1 week later than other Russian bred varieties.

VARIETY	CONT.	HEIGHT	PRICE Euro
Rebeka	C1	20-25	2,10
Nebera	C3****	25-35	2,50
This very early fruiting variety has blue fruits of 1cm diameter and 2,5-3cm lenght. For flavour. Plant grows up to 1,5m. For better fructification 2 different varieties should be p	ruits are very tasty		-
Siniczka	C1	20-25	2,10
	C1,5	25-30	2,50
	C2****	25-35	2,50
Variety of medium growth strength and erect habit, growing up to 1.5m in height. Fruit a wax coating. Ripens at the end of May.	t - big, sweet and s	our, very arc	matic, wi
Sinogłaska	C1	20-25	2,10
	C3****	25-35	2,50
Variety quite fast growing, with upright habit, growing up to 1.8m high. Fruit - oblong, blue in colour and length of about 2cm. Fruits in late May and early June.	covered with a del	icate wax co	ating, na
T3	C1	20-25	2,10
T3	C1 C2****	20-25 25-35	2,10 2,50
T3 Strong growing variety of blue honeysuckle with a large tasty fruit covered by a delical upright habit. Leaves - lanceolate, reaching about 6-10cm, slightly rolled up.	C2****	25-35	2,50
Strong growing variety of blue honeysuckle with a large tasty fruit covered by a delica upright habit. Leaves - lanceolate, reaching about 6-10cm, slightly rolled up.	C2****	25-35	2,50
Strong growing variety of blue honeysuckle with a large tasty fruit covered by a delica	C2**** Ite wax coating. Dis	25-35 stinguished b	2,50 by a dens
Strong growing variety of blue honeysuckle with a large tasty fruit covered by a delica upright habit. Leaves - lanceolate, reaching about 6-10cm, slightly rolled up.	C2**** ute wax coating. Dis	25-35 stinguished b 20-25	2,50 by a dens 2,10
Strong growing variety of blue honeysuckle with a large tasty fruit covered by a delica upright habit. Leaves - lanceolate, reaching about 6-10cm, slightly rolled up. T5 Variety with a very nice, compact habit and high growth strength. Leaves - oval, a b	C2**** ate wax coating. Dis C1 C1,5 C2****	25-35 stinguished b 20-25 25-30 25-35	2,50 by a dens 2,10 2,50 2,50
Strong growing variety of blue honeysuckle with a large tasty fruit covered by a delical upright habit. Leaves - lanceolate, reaching about 6-10cm, slightly rolled up. T5 Variety with a very nice, compact habit and high growth strength. Leaves - oval, a boolour. Fruit - big, tasty, barrel-shaped, covered in wax coating.	C2**** ate wax coating. Dis C1 C1,5 C2****	25-35 stinguished b 20-25 25-30 25-35	2,50 by a dens 2,10 2,50 2,50
Strong growing variety of blue honeysuckle with a large tasty fruit covered by a delical upright habit. Leaves - lanceolate, reaching about 6-10cm, slightly rolled up. T5 Variety with a very nice, compact habit and high growth strength. Leaves - oval, a boolour. Fruit - big, tasty, barrel-shaped, covered in wax coating.	C2**** te wax coating. Dis C1 C1,5 C2**** oit smaller than the	25-35 stinguished b 20-25 25-30 25-35 T3 variety,	2,50 by a dens 2,10 2,50 2,50 dark gree
Strong growing variety of blue honeysuckle with a large tasty fruit covered by a delicatupright habit. Leaves - lanceolate, reaching about 6-10cm, slightly rolled up. T5 Variety with a very nice, compact habit and high growth strength. Leaves - oval, a b colour. Fruit - big, tasty, barrel-shaped, covered in wax coating. Wojtek Very early fruiting variety. Fruits are delicious with sweet flavour, barrel-shaped, very	C2**** te wax coating. Dis C1 C1,5 C2**** oit smaller than the C1 C2****	25-35 stinguished b 20-25 25-30 25-35 T3 variety, 20-25 25-35	2,50 by a dens 2,10 2,50 2,50 dark gree 2,10 2,50
Strong growing variety of blue honeysuckle with a large tasty fruit covered by a delicatupright habit. Leaves - lanceolate, reaching about 6-10cm, slightly rolled up. T5 Variety with a very nice, compact habit and high growth strength. Leaves - oval, a b colour. Fruit - big, tasty, barrel-shaped, covered in wax coating. Wojtek Very early fruiting variety. Fruits are delicious with sweet flavour, barrel-shaped, very one plant can reach a few kilograms.	C2**** te wax coating. Dis C1 C1,5 C2**** oit smaller than the C1 C2****	25-35 stinguished b 20-25 25-30 25-35 T3 variety, 20-25 25-35	2,50 by a dens 2,10 2,50 2,50 dark gree 2,10 2,50
Strong growing variety of blue honeysuckle with a large tasty fruit covered by a delicatupright habit. Leaves - lanceolate, reaching about 6-10cm, slightly rolled up. T5 Variety with a very nice, compact habit and high growth strength. Leaves - oval, a bicolour. Fruit - big, tasty, barrel-shaped, covered in wax coating. Wojtek Very early fruiting variety. Fruits are delicious with sweet flavour, barrel-shaped, very one plant can reach a few kilograms. Wołoszebnica Variety of medium growth strength and erected habit, growing up to 1.5m in height.	C2**** te wax coating. Dis C1 C1,5 C2**** oit smaller than the C1 C2**** big up to 4cm len C2**** Fruit - big, cylind	25-35 stinguished b 20-25 25-30 25-35 T3 variety, 20-25 25-35 ght, navy blu 25-35 rical, with av	2,50 by a dens 2,10 2,50 2,50 dark gree 2,10 2,50 ue. Yield
Strong growing variety of blue honeysuckle with a large tasty fruit covered by a delica upright habit. Leaves - lanceolate, reaching about 6-10cm, slightly rolled up.	C2**** te wax coating. Dis C1 C1,5 C2**** oit smaller than the C1 C2**** big up to 4cm len C2**** Fruit - big, cylind	25-35 stinguished b 20-25 25-30 25-35 T3 variety, 20-25 25-35 ght, navy blu 25-35 rical, with av	2,50 by a dens 2,10 2,50 2,50 dark gree 2,10 2,50 ue. Yield

A variety with dark blue, bulky, barrel-like fruits, about 3 cm long. Valuable plant because of the very tasty and very healthy fruit.

CORNELIAN CHERRY

(Cornus mas)

Cornelian cherry is a fruiting and ornamental shrub that occurs naturally in south-eastern Europe and south-western Asia. It bears fruit in August. Fruits are red, sweet, very tasty with a length of about 2cm and shape resembling olives. The fruit can be eaten raw and dried, but are also ideal for making preserves. The shrub has a low soil requirement, prefers a pH from slightly acidic to neutral. It is increasingly popular in Europe and North America, not only because of the fruit, but also its decorative value.

VARIETY	CONT.	HEIGHT	PRICE Euro
Cornus mas	C2	40-50	2,50
High erect shrub. Red fruit with the size of a small plum. Sweet and sour, tasty. They are suitable used to prepare the famous "dereniówka" liquor. Leaves changing colours in the autumn tir			ey can also
Cornus mas 'Golden Glory'	C2	40-50	2,50

Cornelian cherry variety of erect habit. The fruit is large, red. They should be consumed as they soften, then they are tasty. Shrub grows up to 3-4m

CRANBERRY

(Vaccinium macrocarpon)

Fast growing, creeping dwarf-shrub. It has healing properties: antibacterial and probiotic. Plentiful fruiting. Fruits red with diameter 1-1,5cm, can be eaten. Small leaves. Requires moisture and acid soil. Is also used as a decorative plant.

VARIETY	CONT.	BRANCHES LENGHT	PRICE Euro
Ben Lear	1	20-40	2,25
Early, very fertile variety with bright pink or white flowers and dark red, large fruit. It blooms in rigid, grows slow.	n late spring	g. Creeping h	nabit, stems
Corallium	1	20-40	2,25
Variety with bright pink flowers and round, red fruits. Low, creeping shrub, growth up to 1 met	er height.		
Macro Hoves	1	20-40	2,25
Strong growing, late variety. Makes plenty, rigid and upward fruit-shoots. Straight and compred, oval.	act habit. F	lowers brigh	t pink, fruits
Pilgrim	1	20-40	2,25
Strong growing, late variety with loose habit. Fruits are big, 2cm long, oval, bright red, ye Plentiful fruiting.	ellow at lea	fstalk with w	vax coating.
Red Star	1	20-40	2,25
Slow growing variety with rigid stems and small leaves. Fruits deep red of medium size.			
Stevens	1	20-40	2,25
Medium growing variety. Characterized by plentiful fruiting. Fruits are big, deep red. Makes ple	enty fruit-sho	oots.	

GOJI BERRY

(Lycium barbarum)

Wolfberry, popularly known as Goji berry, is a fruiting shrub of the nightshade family that produces small, oblong, red, edible fruit about 2cm long, of a bitter-sweet taste and after drying, sweet and sour. Goji berries are considered one of the healthiest fruits in the world. For thousands of years the healing properties of Goji berries have been used in traditional Chinese and Japanese medicine. It's fruting in summer (August-September). Stems covered with thorns, leaves lanceolate, oblong, with a length of up to 10cm, grows to about 1-3m high. High frostresistance up to -30°C. It needs permeable soil, of a pH of neutral to slightly alkaline.

VARIETY	CONT.	HEIGHT	PRICE Euro
Big Berry	C2	40-60	2,70
Variety of big, sweet juicy fruit and light red colour, reaching 2-2.5cm long. The shrubs s	start fruiting at the	e age of 2-3 y	years. They
ripen from August to October. Leaves of this variety are oval, of length 5-8cm, light gree	en and limp stems	S.	
Korean Big	C2	40-60	2,70
Variety of big orange-red oval fruits, reaching 1.5-2cm long, sweet taste with a hint of	f bitterness. After	r drying, lose	s the bitter
taste. Ripen from August to October. Leaves - light green, oblong, of length 6-10cm. Hab	oit - dense; stems	- limp.	
New Big	C2	40-60	2,70
One of the most popular varieties of Goji berry; of big, oval fruits reaching 1.5-2cm ir	n length, sweet ta	aste and an	orange-red
colour. The plants bear fruit at a very young age. The fruits ripen from August to Oc	ctober. Leaves -	light green,	lanceolate,
of length about 6-10cm. Habit - dense; stems delicate and limp.			
Sweet Berry	C2	40-60	2,70
Variety of big, very sweet, oval fruit with a light red colour, reaching about 1.5cm in length	gth. Ripening take	es place in s	ummer and

lasts to until the first frost. Leaves - oval, of length 5-8cm, light green and limp stems.

DECIDUOUS TREES AND SHRUBS

****varieties available from June 2016

VARIETY	CONT.	HEIGHT	PRICE Euro
Acer palmatum	C5	90-120	6,25
Acei painiatum	C10	100-140	
Berberis thunbergii 'Dart's Red Lady'	C10	15-25	8,75 2,50
Berberis thunbergii 'Green Carpet'	C2	15-25	2,50
Berberis thunbergii 'Goldalita'***	C2	15-25	
			2,50
Berberis thunbergii 'Kelleris	C2	15-25	2,50
Berberis thunbergii 'Pink Perfection'	C2	15-25	2,50
Berberis thunbergii 'Red Pillar'	C2	15-25	2,50
Betula pendula 'Dalecarlica'	C2	50-60	2,50
	C3,5	130-150	3,75
Betula pendula 'Royal Frost'	C2	50-60	2,50
Potulo nondulo ISahnayardingar Caldhrikal	C3,5 C2	100-120 40-50	3,75
Betula pendula 'Schneverdinger Goldbrike'	C3,5	40-50 80-100	2,50 3,75
Betula pendula 'Youngii'	C3,5	70-80	2,50
Betula 'Trost's Dwarf'	C2	40-60	2,50
Betula utilis var. Jacquemontii	C3,5	130-150	2,50
Buxus sempervirens 'Elegantissima'	C2,5	12-20	2,50
Chaenomeles 'Friesdorfer 205'	C2	Pa>80	6,25
(grafted on stem; Pa-stem height)		15-25	
Chaenomeles speciosa 'Apple Blossom'	C2	Pa>80	6,25
(grafted on stem; Pa-stem height)		15-25	
Chaenomeles speciosa 'Rubra'	C3	25-30	2,50
Chaenomeles speciosa 'Yukigoten'	C2	Pa>80	6,25
(grafted on stem; Pa-stem height)		25-30	0.05
Chaenomeles x superba 'Nicoline'	C3	Pa>80 15-25	6,25
(grafted on stem; Pa-stem height)	C2	Pa>60	6,25
	0-	15-25	0,20
Chaenomeles x superba 'Crimson and Gold' (grafted on stem; Pa-stem height)	C2	Pa>60 15-25	6,25
Cornus alba 'Aurea'	C2	30-50	2,50
Cornus alba 'Elegantissima'	C2,5	30-50	2,50
Cotinus coggygria 'Atropurpurea'	C5	40-50	5,00
Cotinus coggygria 'Foliis Purpureis'	C3	30-40	3,50
	C5	40-50	5,00
Cotinus coggygria 'Golden Spirit'	C2,5	20-30	3,50
Cotinus coggygria 'Purpureus'	C5	40-50	5,00
Cotinus coggygria 'Royal Purple'	C2,5	30-40	3,50
	C5	40-50	5,00
Cotinus coggygria 'Rubrifolius'	C2	30-40	3,50
	C5	40-50	5,00

VARIETY	CONT.	HEIGHT	PRICE Euro
Cotoneaster dammeri 'Coral Beauty'	C2	Pa>40	6,25
(grafted on stem; Pa-stem height)		15-20	
	C5	Pa>60	8,75
		15-20	
Cotoneaster dielsianus	C3	Pa>40	6,25
(grafted on stem; Pa-stem height)		15-20	
	C5	Pa>40	8,75
		25-30	
Cotoneaster divaricatus	C3	Pa>40	6,25
(grafted on stem; Pa-stem height)		15-20	
	C5	Pa>40	8,75
Outomore tend outom to the		25-30	0.05
Cotoneaster horizontalis	C2	Pa>60	6,25
(grafted on stem; Pa-stem height)		15-20	
Cotoneaster nanshan 'Boer'	C2,5	20-30	2,50
Cotoneaster nanshan 'Praecox'	C3	Pa>40	6,25
(grafted on stem; Pa-		Pa>60	7,50
		Pa>80	8,75
	C5	Pa>60	8,75
		Pa>80	8,75
Cotoneaster radicans 'Eichholz'	C3	20-30	2,50
Fagus sylvatica 'Asplenifolia' - buk	C5	Pa 60-80	10,00
(grafted on stem; Pa-stem height)	C5	Pa 100-120	15,00
Fagus sylvatica 'Black Swan'****	C5	60-80	15,00
Fagus sylvatica 'Dawyck Gold'	C5	60-80	10,00
	C5	80-100	12,50
	C5	100-120	15,00
	C5	180-200	25,00
Fagus sylvatica 'Dawyck Purple'	C5	60-80	10,00
	C5	80-100	12,50
	C5	120-140	15,00
	C5	140-160	20,00
France and a disc ID on Italia	C5	180-200	25,00
Fagus sylvatica 'Pendula'	C5 C5	60-80 80-100	10,00
	C5 C5	140-160	12,50 15,00
	C5 C5	160-180	20,00
Fagus sylvatica 'Purpurea Pendula'	C5	60-80	12,50
Fagus sylvatica 'Red Obelisk'	C5	40-60	10,00
ragus syrration incu obolish	C5	60-80	12,50
	C5	100-120	17,50
Fagus sylvatica 'Riversii'	C5	60-80	10,00
5 -3, -3, -3, -3, -3, -3, -3, -3, -3, -3, -3,	C5	120-140	15,00
Fagus sylvatica 'Zlatia'	C5	60-80	10,00
5 - 7	C5	80-100	12,50
	C5	100-120	15,00
	C5	120-140	17,50
Genista lydia ****	C2	15-20	2,50

VARIETY	CONT.	HEIGHT	PRICE Euro
Ginkgo biloba	C5	80-100	7,50
Ginkgo biloba 'Anny`s Dwarf'	C5	Pa 60-80	15,00
(grafted on stem; Pa-stem height)		25-30	
	C5	Pa 80-100	17,50
		30-40	
	C5	Pa100-120	17,50
	C7,5	30-40 Pa 60-80	15,00
	C1,3	25-30	13,00
Ginkgo biloba 'Autumn Gold'	C5	Pa100-120	20,00
(grafted on stem; Pa-stem height)			-,
Ginkgo biloba 'Baldi'	C5	20-25	10,00
Ginkgo biloba 'Baldi'	C5	Pa 40-60	12,50
(grafted on stem; Pa-stem height)	00	25-30	12,00
3 ,	C5	Pa 60-80	15,00
		25-30	
	C5	Pa 80-100	17,50
		30-40	
	C7,5	Pa 60-80	15,00
		25-30	
Ginkgo biloba 'Beijing Gold'	C5	30-35	10,00
Ginkgo biloba 'Beijing Gold'****	C5	60-80	
(grafted on stem; Pa-stem height)		20-30	
Ginkgo biloba 'California Sunset'	C5	Pa 80-100	17,50
(grafted on stem; Pa-stem height)	C5	15-20 Pa100-120	20,00
	03	30-40	20,00
Ginkgo biloba 'Golden Globe'	C5	Pa 40-60	12,50
(grafted on stem; Pa-stem height)		30-40	,
	C5	Pa120-140	22,50
		30-40	
Ginkgo biloba 'HB Trompenburg'	C5	Pa 40-60	12,50
(grafted on stem; Pa-stem height)		30-40	
Ginkgo biloba 'Mariken'	C5	30-40	10,00
Ginkgo biloba 'Mariken'	C5	Pa 40-60	12,50
(grafted on stem; Pa-stem height)		25-35	
	C5	Pa 60-80	15,00
	C5	30-35 Pa 80-100	17 50
	Co	30-35	17,50
Ginkgo biloba 'Roswitha'	C5	Pa 60-80	15,00
(grafted on stem; Pa-stem height)	30	20-25	. 5,00
	C5	Pa120-140	22,50
		30-40	
Ginkgo biloba 'Saratoga'	C5	Pa120-140	22,50
(grafted on stem; Pa-stem height)			
Ginkgo biloba 'Tit'	C5	Pa120-140	22,50
(grafted on stem; Pa-stem height)			

Ginkgo biloba 'Troll' C5 Pa 40-80 12,50 Ginkgo biloba 'Troll' C5 Pa 40-80 12,50 (grafted on stem; Pa-stem height) C5 Pa 80-80 15,00 (E5 Pa 80-100 17,50 Hydrangea arborescens 'Annabelle' C2,5 30-40 2,50 Hydrangea paniculata 'Candlelight*** C2,5 30-40 2,50 Hydrangea paniculata 'Limelight*** C2,5 30-40 2,50 Hydrangea paniculata 'Silver Dollar' C2,5 30-40 2,50 Hydrangea paniculata 'Unique' C2,5 30-40 2,50 Hydrangea paniculata 'Silver Dollar' C2,5 30-40 2,50 Hydrangea paniculata 'Unique' C2,5 30-40 2,50 Physocarpus opulifolius 'Diabolo*** C2,5 30-50 2,50 Physocarpus opulifolius 'Diabolo*** C2,5 30-60 2,50 Prunus serulata 'Kiku-shidare-zakura' C2,5 80-100 1,50 Prunus serulata 'Kiku-shidare-zakura' C2,5 80-100 1,50 Salix integra 'H	VARIETY	CONT.	HEIGHT	PRICE Euro
Giningo biloba 'Troll' CS Pa 40-60 12,50 (grafted on stem; Pa-stem height) 25-35 25-35 15,00 Kanal Part Stem height C5 Pa 80-10 17,50 Hydrangea arborescens 'Annabelle' C2,5 30-40 2,50 Hydrangea paniculata 'Candlelight'**** C2,5 30-40 2,50 Hydrangea paniculata 'Limelight***** C2,5 30-40 2,50 Hydrangea paniculata 'Limelight***** C2,5 30-40 2,50 Hydrangea paniculata 'Unique' C2,5 30-40 2,50 Hydrangea paniculata 'Unique' C2,5 30-40 2,50 Hydrangea paniculata 'Unique' C2,5 30-40 2,50 Physocarpus opulifolius 'Diabolo**** C2,5 30-50 2,50 Prunus serulata 'Kiku-shidare-zakura' C2,5 30-50 2,50 Prunus serulata 'Shirofugen' C5 90-60 12,50 Grafted on stem; Pa-stem heighty C2,5 30-50 2,50 Salix integra 'Hakuro-nishiki' C2,5 30-50 2,50	Ginkgo biloba 'Troll'	C5	30-40	10,00
Component of the path of the		C5	Pa 40-60	12,50
Page	(grafted on stem; Pa-stem height)			
Pas 80-100 17-50 17-50 18-50		C5		15,00
Hydrangea arborescens 'Annabelle' C2,5 (10 do 40-50 7,50) 30-40 (2.50 7,50) 2,50 Hydrangea paniculata 'Candlelight'PBR C2,5 30-40 2,50 2,50 Hydrangea paniculata 'Levana' C2,5 30-40 2,50 2,50 Hydrangea paniculata 'Limelight'PBR C2,5 30-40 2,50 2,50 Hydrangea paniculata 'Silver Dollar' C2,5 30-40 2,50 2,50 Hydrangea paniculata 'Unique' C2,5 30-60 2,50 2,50 Prunus serulata 'Kiku-shidare-zakura' C2,5 80-100 12,50 12,50 Prunus serulata 'Kiku-shidare-zakura' C2,5 80-100 12,50 12,50 Robinia pseudoacacia 'Frisia' C7,5 80-100 12,50 2,50 Salix integra 'Hakuro-nishiki' C2,5 30-60 2,50 2,50 Sambucus nigra 'Black Beauty'PBR C2,5 30-60 2,50 2,50 Spiraea japonica 'Albiflora' C2 20-25 2,50 2,50 Spiraea japonica 'Anthony Waterer' C2 20-25 2,50 2,50 Syringa vulgaris 'Charles Joy' C2,5 40-50 3,50 3,50 Syringa vulgaris 'Kardyna' C2,5 40-50 3,50 3,50 Syringa vulgaris 'Kardyna' C2,5 40-50 3,50 3,50		C5		17,50
C10	Hadrana and an anal Annah allal	00.5		0.50
Hydrangea paniculata 'Candlelight' PBR C2.5 30-40 2.50 Hydrangea paniculata 'Levana' C2.5 30-40 2.50 Hydrangea paniculata 'Limelight' PBR C2.5 30-40 2.50 Hydrangea paniculata 'Siiver Dollar' C2.5 30-40 2.50 Hydrangea paniculata 'Unique' C2.5 30-50 2.50 Physocarpus opulifolius 'Diabolo' PBR C2.5 30-50 2.50 Prunus serulata 'Kiku-shidare-zakura' C2 30-100 12.50 Prunus serulata 'Shirofugen' C2 30-100 12.50 (grafted on stem; Pa-stem height) C2 30-40 2.50 Robinia pseudoacacia 'Frisia' C7.5 80-100 12.50 Salix integra 'Hakuro-nishiki' C2.5 30-40 2.50 Spiraea japonica 'Albiflora' C2 20-25 2.50 Spiraea japonica 'Anthony Waterer' C2 20-25 2.50 Spiraea japonica 'Cenperi C2 20-25 2.50 Syringa vulgaris 'Charles Joy' C2.5 40-50 3.50	Hydrangea arborescens Annabelle	•		•
Hydrangea paniculata 'Levana' C2,5 30-40 2,50 Hydrangea paniculata 'Limelight**PBR C2,5 30-40 2,50 Hydrangea paniculata 'Silver Dollar' C2,5 30-40 2,50 Hydrangea paniculata 'Unique' C2,5 30-40 2,50 Physocarpus opulifolius 'Diabolo*** C2,5 30-50 2,50 Prunus serulata 'Kiku-shidare-zakura' C2 80-100 12,50 Prunus serulata 'Shirofugen' C5 Pa 60-80 12,50 Igrated on stem: Pa-stem height) C7,5 80-100 12,50 Salix integra 'Hakuro-nishiki' C2,5 30-60 2,50 Salix integra 'Hakuro-nishiki' C2,5 30-60 2,50 Spiraea japonica 'Albiflora' C2 20-25 2,50 Spiraea japonica 'Albiflora' C2 20-25 2,50 Spiraea japonica 'Charles Joy' C2 20-25 2,50 Spiraea japonica 'Charles Joy' C2 40-50 3,50 Syringa vulgaris 'Kardyna' C2 40-50 3,50 Syri	Hydrangea paniculata 'Candlelight'PBR			
Hydrangea paniculata 'Limelight'™®R C2,5 30-40 2,50 Hydrangea paniculata 'Silver Dollar' C2,5 30-40 2,50 Hydrangea paniculata 'Unique' C2,5 30-40 2,50 Physocarpus opulifolius 'Diabolo'™®R C2,5 30-50 2,50 Prunus serulata 'Kiku-shidare-zakura' C2 80-100 12,50 Prunus serulata 'Shirofugen' C5 № 80-80 12,50 Igrafted on stern; Pa-stem height) C5 № 30-100 12,50 Robinia pseudoacacia 'Frisia' C7,5 80-100 12,50 Salix integra 'Hakuro-nishiki' C2,5 30-50 2,50 Spiraea japonica 'Albiflora' C2 20-25 2,50 Spiraea japonica 'Albiflora' C2 20-25 2,50 Syringa vulgaris 'Charles Joy' C2,5 40-50 3,50		C2,5	30-40	2,50
Hydrangea paniculata 'Silver Dollar' C2.5 30-40 2,50 Hydrangea paniculata 'Unique' C2.5 30-40 2,50 Physocarpus opulifolius 'Diabolo'™R C2.5 30-50 2,50 Prunus serulata 'Kiku-shidare-zakura' C2 80-100 12,50 Prunus serulata 'Shirofugen' C5 Pa 60-80 12,50 (grafted on stem; Pa-stem height) T 80-100 12,50 Robinia pseudoacacia 'Frisia' C7,5 80-100 12,50 Salix integra 'Hakuro-nishiki' C2,5 30-50 2,50 Spiraea japonica 'Albiflora' C2 20-25 2,50 Spiraea japonica 'Anthony Waterer' C2 20-25 2,50 Spiraea japonica 'Genpei' C2 20-25 2,50 Syringa vulgaris 'Charles Joy' C2,5 40-50 3,50 Syringa vulgaris 'Kardynał' C2,5 40-50 3,50 Syringa vulgaris 'Kardynał' C2,5 40-50 3,50 Syringa vulgaris 'Kardynał' C2 40-50 3,50 Syringa vulg		C2,5	30-40	2,50
Hydrangea paniculata 'Unique' C2.5 30-40 2.50 Physocarpus opulifolius 'Diabolo'PBR C2.5 30-50 2,50 Prunus serulata 'Kiku-shidare-zakura' C2 80-100 12,50 Prunus serulata 'Shirofugen' C5 Pa 60-80 12,50 (gratted on stem; Pa-stem height) Temperature of the part of the	· <u>·</u> ····	C2,5	30-40	2,50
Physocarpus opulifolius 'Diabolo'PRR C2,5 30-50 2,50 Prunus serulata 'Kiku-shidare-zakura' C2 80-100 12,50 Prunus serulata 'Shirofugen' C5 Pa 60-80 12,50 (grafted on stem; Pa-stem height) C7,5 80-100 12,50 Robinia pseudoacacia 'Frisia' C7,5 80-100 12,50 Salix integra 'Hakuro-nishiki' C2,5 30-50 2,50 Spiraea japonica 'Habiflora' C2 20-25 2,50 Spiraea japonica 'Anthony Waterer' C2 20-25 2,50 Spiraea japonica 'Genpei' C2 20-25 2,50 Syringa vulgaris 'Charles Joy' C2,5 40-50 3,50 Syringa vulgaris 'General Pershing' C2,5 40-50 3,50 Syringa vulgaris 'Kardynai' C2,5 40-50 3,50 Syringa vulgaris 'Katherine Havemeyer' C2 40-50 3,50 Syringa vulgaris 'Krasavitsa Moskvy' C2 40-50 3,50 Syringa vulgaris 'Mine Lemone' C2,5 40-50 3,50		C2.5	30-40	2.50
Prunus serulata 'Kiku-shidare-zakura' C2 80-100 12,50 Prunus serulata 'Shirofugen' C5 Pa 60-80 12,50 (grafted on stem; Pa-stem height) C7,5 80-100 12,50 Robinia pseudoacacia 'Frisia' C7,5 80-100 12,50 Salix integra 'Hakuro-nishiki' C2,5 30-40 2,50 Sambucus nigra 'Black Beauty' ^{rese} C2,5 30-50 2,50 Spiraea japonica 'Albiflora' C2 20-25 2,50 Spiraea japonica 'Anthony Waterer' C2 20-25 2,50 Spiraea japonica 'Genpei' C2 20-25 2,50 Syringa vulgaris 'Charles Joy' C2,5 40-50 3,50 Syringa vulgaris 'General Pershing' C2,5 40-50 3,50 Syringa vulgaris 'Kardynai' C2,5 40-50 3,50 Syringa vulgaris 'Katherine Havemeyer' C2 40-50 3,50 Syringa vulgaris 'Krasavitsa Moskvy' C2 40-50 3,50 Syringa vulgaris 'Mine Lemone' C2,5 40-50 3,50				•
Prunus serulata 'Shirofugen' (grafted on stem; Pa-stem height) C5 Pa 60-80 12,50 Robinia pseudoacacia 'Frisia' C7,5 80-100 12,50 Salix integra 'Hakuro-nishiki' C2,5 30-40 2,50 Sambucus nigra 'Black Beauty'PBR C2,5 30-50 2,50 Spiraea japonica 'Albiflora' C2 20-25 2,50 Spiraea japonica 'Genpei' C2 20-25 2,50 Spiraea japonica 'Genpei' C2 20-25 2,50 Syringa vulgaris 'Charles Joy' C2,5 40-50 3,50 Syringa vulgaris 'General Pershing' C2,5 40-50 3,50 Syringa vulgaris 'Kardynal' C2,5 40-50 3,50 Syringa vulgaris 'Katherine Havemeyer' C2 40-50 3,50 Syringa vulgaris 'Krasavitsa Moskvy' C2 40-50 3,50 Syringa vulgaris 'Mine Lemone' C2,5 40-50 3,50 Syringa vulgaris 'Mine Lemone' C2,5 40-50 3,50 Syringa vulgaris 'Mine Lemone' C2,5 40-50 3,50		<u> </u>		
Agrafted on stem; Pa-stem height) C7,5 80-100 12,50 Salix integra 'Hakuro-nishiki' C2,5 30-40 2,50 Sambucus nigra 'Black Beauty'PBR C2,5 30-50 2,50 Spiraea japonica 'Albiflora' C2 20-25 2,50 Spiraea japonica 'Anthony Waterer' C2 20-25 2,50 Spiraea japonica 'Genpei' C2 20-25 2,50 Syringa vulgaris 'Charles Joy' C2,5 40-50 3,50 Syringa vulgaris 'General Pershing' C2,5 40-50 3,50 Syringa vulgaris 'Kardynał' C2,5 40-50 3,50 Syringa vulgaris 'Katherine Havemeyer' C2 40-50 3,50 Syringa vulgaris 'Krasavitsa Moskvy' C2 40-50 3,50 Syringa vulgaris 'Miss Ellen Willmott' C2,5 40-50 3,50 Syringa vulgaris 'Miss Ellen Willmott' C2,5 40-50 3,50 Syringa vulgaris 'Miss Edward Harding' C2,5 40-50 3,50 Syringa vulgaris 'Mrs Edward Harding' C2,5 40-50 3,50				-
Salix integra 'Hakuro-nishiki' C2,5 30-40 2,50 Sambucus nigra 'Black Beauty' PBR C2,5 30-50 2,50 Spiraea japonica 'Albiflora' C2 20-25 2,50 Spiraea japonica 'Anthony Waterer' C2 20-25 2,50 Spiraea japonica 'Genpei' C2 20-25 2,50 Syringa vulgaris 'Charles Joy' C2,5 40-50 3,50 Syringa vulgaris 'General Pershing' C2,5 40-50 3,50 Syringa vulgaris 'Kardynał' C2,5 40-50 3,50 Syringa vulgaris 'Katherine Havemeyer' C2 40-50 3,50 Syringa vulgaris 'Krasavitsa Moskvy' C2 40-50 3,50 Syringa vulgaris 'Miss Ellen Willmott' C2 40-50 3,50 Syringa vulgaris 'Miss Ellen Willmott' C2,5 40-50 3,50 Syringa vulgaris 'Miss Edward Harding' C2 40-50 3,50 Syringa vulgaris 'Mrs Edward Harding' C2 3,50 Ulmus glabra 'Lutescens' C5 100-120	-			•
Sambucus nigra 'Black Beauty' PBR C2,5 30-50 2,50 Spiraea japonica 'Albiflora' C2 20-25 2,50 Spiraea japonica 'Anthony Waterer' C2 20-25 2,50 Spiraea japonica 'Genpei' C2 20-25 2,50 Syringa vulgaris 'Charles Joy' C2,5 40-50 3,50 Syringa vulgaris 'General Pershing' C2,5 40-50 3,50 Syringa vulgaris 'Kardynał' C2,5 40-50 3,50 Syringa vulgaris 'Katherine Havemeyer' C2 40-50 3,50 Syringa vulgaris 'Krasavitsa Moskvy' C2 40-50 3,50 Syringa vulgaris 'Andenken an Ludwig Späth' C2 40-50 3,50 Syringa vulgaris 'Miss Ellen Willmott' C2,5 40-50 3,50 Syringa vulgaris 'Mme Lemone' C2,5 40-50 3,50 Syringa vulgaris 'Mre Edward Harding' C2 3,50 Syringa vulgaris 'Mre Edward Harding' C2 3,50 Ulmus minor 'Argenteovariegata' C5 100-120 15,00 Weigela florida 'Nonet'	Robinia pseudoacacia 'Frisia'	C7,5	80-100	12,50
Spiraea japonica 'Albiflora' C2 20-25 2,50 Spiraea japonica 'Anthony Waterer' C2 20-25 2,50 Spiraea japonica 'Genpei' C2 20-25 2,50 Syringa vulgaris 'Charles Joy' C2,5 40-50 3,50 Syringa vulgaris 'General Pershing' C2,5 40-50 3,50 Syringa vulgaris 'Kardynał' C2,5 40-50 3,50 Syringa vulgaris 'Krasavitsa Moskvy' C2 40-50 3,50 Syringa vulgaris 'Andenken an Ludwig Späth' C2 40-50 3,50 Syringa vulgaris 'Miss Ellen Willmott' C2,5 40-50 3,50 Syringa vulgaris 'Miss Ellen Willmott' C2,5 40-50 3,50 Syringa vulgaris 'Miss Edward Harding' C2 3,50 Syringa vulgaris 'Mre Lemone' C2,5 40-50 3,50 Syringa vulgaris 'Mre Edward Harding' C2 30-40 3,50 Wingela florida 'Monet' ('Verweig') 'PBR C2 30-40 3,50 Weigela florida 'Nonet' ('Verweig') 'PBR C2 20-30 2,50 <tr< td=""><td>Salix integra 'Hakuro-nishiki'</td><td>C2,5</td><td>30-40</td><td>2,50</td></tr<>	Salix integra 'Hakuro-nishiki'	C2,5	30-40	2,50
Spiraea japonica 'Anthony Waterer' C2 20-25 2,50 Spiraea japonica 'Genpei' C2 20-25 2,50 Syringa vulgaris 'Charles Joy' C2,5 40-50 3,50 Syringa vulgaris 'General Pershing' C2,5 40-50 3,50 Syringa vulgaris 'Kardynał' C2,5 40-50 3,50 Syringa vulgaris 'Katherine Havemeyer' C2 40-50 3,50 Syringa vulgaris 'Krasavitsa Moskvy' C2 40-50 3,50 Syringa vulgaris 'Andenken an Ludwig Späth' C2 40-50 3,50 Syringa vulgaris 'Miss Ellen Willmott' C2,5 40-50 3,50 Syringa vulgaris 'Mme Lemone' C2,5 40-50 3,50 Syringa vulgaris 'Mme Lemone' C2,5 40-50 3,50 Syringa vulgaris 'Mme Lemone' C2,5 40-50 3,50 Winga vulgaris 'Mme Lemone' C2,5 40-50 3,50 Winga vulgaris 'Mme Lemone' C2,5 40-50 3,50 Winga vulgaris 'Mme Lemone' C2,5 40-50 3,50 <th< td=""><td>Sambucus nigra 'Black Beauty'PBR</td><td>C2,5</td><td>30-50</td><td>2,50</td></th<>	Sambucus nigra 'Black Beauty'PBR	C2,5	30-50	2,50
Spiraea japonica 'Genpel' C2 20-25 2,50 Syringa vulgaris 'Charles Joy' C2,5 40-50 3,50 Syringa vulgaris 'General Pershing' C2,5 40-50 3,50 Syringa vulgaris 'Kardynał' C2,5 40-50 3,50 Syringa vulgaris 'Katherine Havemeyer' C2 40-50 3,50 Syringa vulgaris 'Krasavitsa Moskvy' C2 40-50 3,50 Syringa vulgaris 'Andenken an Ludwig Späth' C2 40-50 3,50 Syringa vulgaris 'Miss Ellen Willmott' C2,5 40-50 3,50 Syringa vulgaris 'Mme Lemone' C2,5 40-50 3,50 Syringa vulgaris 'Mrs Edward Harding' C2 30-40 3,50 Ulmus glabra 'Lutescens' C5 100-120 15,00 Ulmus minor 'Argenteovariegata' C5 100-120 15,00 Weigela florida 'Monet' ('Verweig') PBR C2 20-30 2,50 Weigela florida 'Nana Variegata' C2 20-30 2,50 Weigela florida 'Naviegata' C2 20-30 2,50 <td>Spiraea japonica 'Albiflora'</td> <td>C2</td> <td>20-25</td> <td>2,50</td>	Spiraea japonica 'Albiflora'	C2	20-25	2,50
Syringa vulgaris 'Charles Joy' C2,5 40-50 3,50 Syringa vulgaris 'General Pershing' C2,5 40-50 3,50 Syringa vulgaris 'Kardynał' C2,5 40-50 3,50 Syringa vulgaris 'Katherine Havemeyer' C2 40-50 3,50 Syringa vulgaris 'Krasavitsa Moskvy' C2 40-50 3,50 Syringa vulgaris 'Andenken an Ludwig Späth' C2 40-50 3,50 Syringa vulgaris 'Miss Ellen Willmott' C2,5 40-50 3,50 Syringa vulgaris 'Mme Lemone' C2,5 40-50 3,50 Syringa vulgaris 'Mms Edward Harding' C2 30-40 3,50 Syringa vulgaris 'Mrs Edward Harding' C2 30-40 3,50 Ulmus glabra 'Lutescens' C5 100-120 15,00 Ulmus minor 'Argenteovariegata' C5 100-120 15,00 Weigela florida 'Monet' ('Verweig') PBR C2 20-30 2,50 Weigela florida 'Nana Variegata' C2 20-30 2,50 Weigela florida 'Newport Red' C2 20-30 2,50	Spiraea japonica 'Anthony Waterer'	C2	20-25	2,50
Syringa vulgaris 'General Pershing' C2,5 40-50 3,50 Syringa vulgaris 'Kardynał' C2,5 40-50 3,50 Syringa vulgaris 'Katherine Havemeyer' C2 40-50 3,50 Syringa vulgaris 'Krasavitsa Moskvy' C2 40-50 3,50 Syringa vulgaris 'Andenken an Ludwig Späth' C2 40-50 3,50 Syringa vulgaris 'Miss Ellen Willmott' C2,5 40-50 3,50 Syringa vulgaris 'Mme Lemone' C2,5 40-50 3,50 Syringa vulgaris 'Mrs Edward Harding' C2 30-40 3,50 Syringa vulgaris 'Mrs Edward Harding' C2 30-40 3,50 Ulmus glabra 'Lutescens' C5 100-120 15,00 C5 140-180 20,00 Ulmus minor 'Argenteovariegata' C5 100-120 15,00 Weigela florida 'Monet' ('Verweig') 'PBR C2 20-30 2,50 Weigela florida 'Nana Variegata' C2 20-30 2,50 Weigela florida 'Newport Red' C2 20-30 2,50	Spiraea japonica 'Genpei'	C2	20-25	2,50
Syringa vulgaris 'Kardynał' C2,5 40-50 3,50 Syringa vulgaris 'Katherine Havemeyer' C2 40-50 3,50 Syringa vulgaris 'Krasavitsa Moskvy' C2 40-50 3,50 Syringa vulgaris 'Andenken an Ludwig Späth' C2 40-50 3,50 Syringa vulgaris 'Miss Ellen Willmott' C2,5 40-50 3,50 Syringa vulgaris 'Mme Lemone' C2,5 40-50 3,50 Syringa vulgaris 'Mrs Edward Harding' C2 30-40 3,50 Ulmus glabra 'Lutescens' C5 100-120 15,00 C5 140-180 20,00 Ulmus minor 'Argenteovariegata' C5 100-120 15,00 Weigela florida 'Monet' ('Verweig') ^{PBR} C2 20-30 2,50 Weigela florida 'Nana Variegata' C2 20-30 2,50 Weigela florida 'Newport Red' C2 20-30 2,50 Weigela florida 'Rubidor' C2 20-30 2,50	Syringa vulgaris 'Charles Joy'	C2,5	40-50	3,50
Syringa vulgaris 'Katherine Havemeyer' C2 40-50 3,50 Syringa vulgaris 'Krasavitsa Moskvy' C2 40-50 3,50 Syringa vulgaris 'Andenken an Ludwig Späth' C2 40-50 3,50 Syringa vulgaris 'Miss Ellen Willmott' C2,5 40-50 3,50 Syringa vulgaris 'Mme Lemone' C2,5 40-50 3,50 Syringa vulgaris 'Mrs Edward Harding' C2 30-40 3,50 Ulmus glabra 'Lutescens' C5 100-120 15,00 C5 140-180 20,00 Ulmus minor 'Argenteovariegata' C5 100-120 15,00 Weigela florida 'Monet' ('Verweig') PBR C2 20-30 2,50 Weigela florida 'Nana Variegata' C2 20-30 2,50 Weigela florida 'Newport Red' C2 20-30 2,50 Weigela florida 'Rubidor' C2 20-30 2,50	Syringa vulgaris 'General Pershing'	C2,5	40-50	3,50
Syringa vulgaris 'Krasavitsa Moskvy' C2 40-50 3,50 Syringa vulgaris 'Andenken an Ludwig Späth' C2 40-50 3,50 Syringa vulgaris 'Miss Ellen Willmott' C2,5 40-50 3,50 Syringa vulgaris 'Mme Lemone' C2,5 40-50 3,50 Syringa vulgaris 'Mrs Edward Harding' C2 30-40 3,50 Ulmus glabra 'Lutescens' C5 100-120 15,00 C5 140-180 20,00 Ulmus minor 'Argenteovariegata' C5 100-120 15,00 Weigela florida 'Monet' ('Verweig') PBR C2 20-30 2,50 Weigela florida 'Nana Variegata' C2 20-30 2,50 Weigela florida 'Newport Red' C2 20-30 2,50 Weigela florida 'Rubidor' C2 20-30 2,50	Syringa vulgaris 'Kardynał'	C2,5	40-50	3,50
Syringa vulgaris 'Andenken an Ludwig Späth' C2 40-50 3,50 Syringa vulgaris 'Miss Ellen Willmott' C2,5 40-50 3,50 Syringa vulgaris 'Mme Lemone' C2,5 40-50 3,50 Syringa vulgaris 'Mrs Edward Harding' C2 30-40 3,50 Ulmus glabra 'Lutescens' C5 100-120 15,00 C5 140-180 20,00 Ulmus minor 'Argenteovariegata' C5 100-120 15,00 Weigela florida 'Monet' ('Verweig') ^{PBR} C2 20-30 2,50 Weigela florida 'Nana Variegata' C2 20-30 2,50 Weigela florida 'Newport Red' C2 20-30 2,50 Weigela florida 'Rubidor' C2 20-30 2,50	Syringa vulgaris 'Katherine Havemeyer'	C2	40-50	3,50
Syringa vulgaris 'Miss Ellen Willmott' C2,5 40-50 3,50 Syringa vulgaris 'Mme Lemone' C2,5 40-50 3,50 Syringa vulgaris 'Mrs Edward Harding' C2 30-40 3,50 Ulmus glabra 'Lutescens' C5 100-120 15,00 C5 140-180 20,00 Ulmus minor 'Argenteovariegata' C5 100-120 15,00 Weigela florida 'Monet' ('Verweig') ^{PBR} C2 20-30 2,50 Weigela florida 'Nana Variegata' C2 20-30 2,50 Weigela florida 'Newport Red' C2 20-30 2,50 Weigela florida 'Rubidor' C2 20-30 2,50	Syringa vulgaris 'Krasavitsa Moskvy'	C2	40-50	3,50
Syringa vulgaris 'Miss Ellen Willmott' C2,5 40-50 3,50 Syringa vulgaris 'Mme Lemone' C2,5 40-50 3,50 Syringa vulgaris 'Mrs Edward Harding' C2 30-40 3,50 Ulmus glabra 'Lutescens' C5 100-120 15,00 C5 140-180 20,00 Ulmus minor 'Argenteovariegata' C5 100-120 15,00 Weigela florida 'Monet' ('Verweig') ^{PBR} C2 20-30 2,50 Weigela florida 'Nana Variegata' C2 20-30 2,50 Weigela florida 'Newport Red' C2 20-30 2,50 Weigela florida 'Rubidor' C2 20-30 2,50	Syringa vulgaris 'Andenken an Ludwig Späth'	C2	40-50	3,50
Syringa vulgaris 'Mrs Edward Harding' C2 30-40 3,50 Ulmus glabra 'Lutescens' C5 100-120 15,00 C5 140-180 20,00 Ulmus minor 'Argenteovariegata' C5 100-120 15,00 Weigela florida 'Monet' ('Verweig') ^{PBR} C2 20-30 2,50 Weigela florida 'Nana Variegata' C2 20-30 2,50 Weigela florida 'Newport Red' C2 20-30 2,50 Weigela florida 'Rubidor' C2 20-30 2,50		C2,5	40-50	3,50
Syringa vulgaris 'Mrs Edward Harding' C2 30-40 3,50 Ulmus glabra 'Lutescens' C5 100-120 15,00 C5 140-180 20,00 Ulmus minor 'Argenteovariegata' C5 100-120 15,00 Weigela florida 'Monet' ('Verweig') ^{PBR} C2 20-30 2,50 Weigela florida 'Nana Variegata' C2 20-30 2,50 Weigela florida 'Newport Red' C2 20-30 2,50 Weigela florida 'Rubidor' C2 20-30 2,50	<u>- </u>	C2,5	40-50	3,50
Ulmus glabra 'Lutescens' C5 100-120 C5 140-180 20,00 15,00 C5 140-180 20,00 Ulmus minor 'Argenteovariegata' C5 100-120 15,00 Weigela florida 'Monet' ('Verweig') ^{PBR} C2 20-30 2,50 Weigela florida 'Nana Variegata' C2 20-30 2,50 Weigela florida 'Newport Red' C2 20-30 2,50 Weigela florida 'Rubidor' C2 20-30 2,50			30-40	
Ulmus minor 'Argenteovariegata'C5100-12015,00Weigela florida 'Monet' ('Verweig')PBRC220-302,50Weigela florida 'Nana Variegata'C220-302,50Weigela florida 'Newport Red'C220-302,50Weigela florida 'Rubidor'C220-302,50		C5	100-120	15,00
Weigela florida 'Monet' ('Verweig')C220-302,50Weigela florida 'Nana Variegata'C220-302,50Weigela florida 'Newport Red'C220-302,50Weigela florida 'Rubidor'C220-302,50				
Weigela florida 'Nana Variegata'C220-302,50Weigela florida 'Newport Red'C220-302,50Weigela florida 'Rubidor'C220-302,50				
Weigela florida 'Newport Red'C220-302,50Weigela florida 'Rubidor'C220-302,50			20-30	2,50
Weigela florida 'Rubidor' C2 20-30 2,50		C2	20-30	2,50
<u> </u>	Weigela florida 'Newport Red'	C2	20-30	2,50
Weigela florida 'Victoria' C2 25-35 2,50	Weigela florida 'Rubidor'	C2	20-30	2,50
	Weigela florida 'Victoria'	C2	25-35	2,50

CONIFERS GRAFTED AND GRAFTED ON STEM

VARIETY	CONT.	HEIGHT	PRICE Euro
Abies alba 'Pyramidalis'	C5	20-30	10,00
Abies cephalonica	C5	70-80	10,00
Abies cephalonica	C5	50-60	10,00
	C10	60-80	20,00
Abies concolor 'Compacta'	C5	40-50	10,00
Abies concolor var. lowiana	C5	30-40	10,00
Abies delavayi 'Green Giant'	C5	40-50	10,00
Abies homolepis	C5	50-60	10,00
Abias Issuesus	C10	60-80	20,00
Abies koreana	C5	25-30	10,00
Abies koreana 'Aurea'	C5	25-30	10,00
Abies koreana 'Luminetta'	C5	30-40	10,00
Abies koreana 'Oberon'	C5	25-30	10,00
Abies koreana 'Silberlocke'	C5	50-60	10,00
Abies koreana 'Silvermavers'	C5	30-50	10,00
Abies koreana 'Tundra'	C5	Pa 30-40	14,00
Abies lasiocarpa 'Compacta'	C5 C10	30-40 100-120	10,00 20,00
Abies nordmanniana 'Pendula'	C5	70-80	10,00
Abies pinsapo 'Glauca'	C5	40-50	10,00
Abies pinsapo 'Horstmann'	C5	30-40	10,00
Abies procera 'Glauca'	C5	40-50	10,00
	C15	80-100	20,00
Abies procera 'Schembeck'	C5	40-55	10,00
Abies veitchii	C5	70-80	10,00
Larix decidua 'Cizovce'	C5	Pa>80	20,00
Larix decidua 'Grey Pearl'	C5	Pa>80	20,00
Larix decidua 'Kórnik'	C5	Pa>80	20,00
Larix kaempferi 'Blue Dwarf'	C5	Pa>80	20,00
(grafted on stem; Pa-stem height) Larix kaempferi 'Stiff Weeper'	C5	30-40 Pa>80	20,00
(grafted on stem; Pa-stem height)	CS	30-40	20,00
Metasequoia glyptostroboides	C10	160-180	7,50
Metasequoia glyptostroboides 'White Spot'	C3	120-140	7,50
Picea abies 'Acrocona'	C5	60-70	10,00
Picea abies 'Aurea'	C5	60-70	10,00
Picea abies 'Aurea Magnifica'	C10	60-70	20,00
Picea abies 'Cranstonii'	C5	80-140	10,00
Picea abies 'Cupressina'	C5	50-60	10,00
Picea abies 'Finedonensis'	C5	60-80	10,00
Picea abies 'Formanek'	C5	Pa<50	12,50
(grafted on stem; Pa-stem height)		35-45	,

Picea abies 'Inversa' (grafted on stem; Peastem height) (grafted on stem; Peastem height) C10 Pacto 2000 Pa100-110 20,00 20,00 Picea abies 'Inversa' (crafted on stem; Peastem height) 2000 Picea abies 'Inversa' (crafted on stem; Peastem height) 2000 Picea abies 'Inversa' (crafted on stem; Peastem height) 15-25 Picea abies 'Norkopping' (crafted on stem; Peastem height) C5 60-70 10,00 10,00 Picea abies 'Norkopping' (crafted on stem; Peastem height) C5 60-70 10,00 10,00 Picea abies 'Pusch' (crafted on stem; Peastem height) C5 30-40 10,00 10,00 Picea abies 'Pygmaea' (crafted on stem; Peastem height) C5 70-80 10,00 10,00 Picea abies 'Pygmaea' (crafted on stem; Peastem height) C5 80-80 10,00 10,00 Picea abies 'Will's Zwerg' (crafted on stem; Peastem height) C5 90-80 10,00 10,00 Picea asperata C5 90-80 10,00 10,00 Picea asperata C5 90-80 10,00 10,00 Picea asperata C5 90-80 10,00 10,00 Picea persumanii C5 90-80 10,00 10,00 Picea persumanii C5 90-80 10,00 10,00 Picea persumanii Pi	VARIETY	CONT.	HEIGHT	PRICE Euro
	Picea abies 'Hystrix'	C5	30-40	10,00
Picea abies Inversa' (grafted on stem; Pa-stem height) 15-25 10.00 Picea abies Kofica' C5 60-70 10.00 Picea abies Norkopping' C5 60-70 10.00 Picea abies Pumila Nigra' C5 80-70 10.00 Picea abies Pumila Nigra' C5 80-70 10.00 Picea abies Pumila Nigra' C5 80-70 10.00 Picea abies Pygmaea' C5 80-80 10.00 Picea aperata C5 80-80 10.00 Picea aperata C5 80-80 10.00 Picea ilikiangensis C5 80-80 10.00 Picea ilikiangensis Pygmaea C5 80-80 10.00 Picea mariana Jana' C5 80-80 10.00 Picea mariana Jana' C5 80-80 10.00 Picea mariorika Machala' C5 80-80 10.00 Picea omorika Nana' C5 80-80 10.00 Picea omorika Nana' C5 80-80 10.00 Picea omorika Pendula' C5 80-80 10.00 Picea omorika Pendula' C5 80-80 10.00 Picea omorika Pendula' C5 80-80 10.00 Picea orientalis Penstem height) C5 80-80 10.00 Picea pungens Biacbok' C5 8	Picea abies 'Inversa'	C5	Pa100-120	10,00
(graffed on stem: Pa-stem height) Ficea abies 'Końca' C5 60-70 10,00 Ficea abies 'Norkoping' C5 60-70 10,00 Ficea abies 'Pumila Nigra' C5 60-70 10,00 Ficea abies 'Pumila Nigra' C5 30-40 10,00 Ficea abies 'Pusch' C5 30-40 10,00 Ficea abies 'Pygmaea' C5 78-85 14,00 Ficea abies 'Will's Zwerg' C5 40-50 10,00 Ficea abies 'Will's Zwerg' C5 40-50 10,00 Ficea aperata C5 50-60 10,00 Ficea aperata C5 50-60 10,00 Ficea engelmannii C5 50-60 10,00 Ficea engelmannii C5 50-60 10,00 Ficea koyamai C5 50-60 10,00 Ficea koyamai C5 50-60 10,00 Ficea miriana 'Jana' C5 60-70 10,00 Ficea mariana 'Jana' C5 60-70 10,00 Ficea mariana 'Jana' C5 60-70 10,00 Ficea mariana 'Aurea' C5 80-70 10,00 Ficea morrika 'Machala' C5 10-25 10,00 Ficea morrika 'Nachala' C5 80-70 10,00 Ficea morrika 'Nachala' C5 80-70 10,00 Ficea morrika 'Nana' C5 80-70 10,00 Ficea morrika 'Nana' C5 80-70 10,00 Ficea omorrika 'Nana' C5 80-70 10,00 Ficea omo	(grafted on stem; Pa-stem height)	C10	Pa100-110	20,00
Picea abies 'Końca' C5 60-70 10,00 Picea abies 'Norkopping' C5 60-70 10,00 Picea abies 'Pusch' C5 60-70 10,00 Picea abies 'Pusch' C5 30-40 10,00 Picea abies 'Pygmaea' C5 30-40 10,00 Picea abies 'Pygmaea' C5 Pa-50 14,00 Qreated on stem; Pa-stem height) C5 Pa-50 16,00 Qreated abies 'Will's Zwerg' C5 40-50 10,00 Picea abies 'Will's Zwerg' C5 40-50 10,00 Picea abies weriana C5 40-50 10,00 Picea engelmannii C5 50-60 10,00 Picea koyamai C5 50-60 10,00 Picea koyamai C5 50-60 10,00 Picea mariana 'Jana' C5 40-50 10,00 Picea mariana 'Jana' C5 40-50 10,00 Picea mariorika 'Machala' C5 40-50 10,00 Picea morrika 'De Ruyter'	Picea abies 'Inversa'	C10	Pa<50	20,00
Picea abies 'Norkopping' C5 60-70 10,00 Picea abies 'Pumila Nigra' C5 60-70 10,00 Picea abies 'Pusch' C5 30-40 10,00 Picea abies 'Pygmaea' C5 30-40 10,00 Picea abies 'Pygmaea' C5 Pa-850 14,00 Igrafted on stem; Pa-stem height) C5 Pa-850 16,75 Picea abies 'Will's Zwerg' C5 40-50 10,00 Picea asperata C5 40-50 10,00 Picea apperata C5 50-60 10,00 Picea engelmannii C5 50-60 10,00 Picea pezonensis C5 40-50 10,00 Picea likiangensis var. Balfouriana C5 40-50 10,00 Picea mariana 'Jana' C5 40-50 10,00 Picea mariana 'Jana' C5 40-50 10,00 Picea omorika 'Nachala' C5 40-50 10,00 Picea omorika 'Nachala' C5 60-70 10,00 Picea omorika 'Nana'			15-25	
Picea abies 'Pumila Nigra' C5 60-70 10,00 Picea abies 'Pusch' C5 30-40 10,00 Picea abies 'Pygmaea' C5 30-40 10,00 Picea abies 'Pygmaea' C5 Pa-50 14,00 Qrafted on stem; Pa-stem height) C5 Pa-50 16,75 Picea abies 'Will's Zwerg' C5 40-50 10,00 Picea asperata C5 50-60 10,00 Picea prewriana C5 50-60 10,00 Picea engelmannii C5 50-60 10,00 Picea koyamai C5 50-60 10,00 Picea likiangensis var. Balfouriana C5 50-60 10,00 Picea mariana 'Jana' C5 60-70 10,00 Picea mariorika 'Machala' C5 40-50 10,00 Picea omorika 'Nana' C5 60-70 10,00 Picea omorika 'Nana' C5 60-70 10,00 Picea omorika 'Nana' C5 60-70 10,00 Picea omorika 'Nana'	Picea abies 'Końca'	C5	60-70	10,00
Picea abies 'Pusch' C5 30-40 10,00 Picea abies 'Pygmaea' C5 30-40 10,00 Picea abies 'Pygmaea' C5 Pa-50 14,00 (grafted on stem; Pa-stem height) C5 Pa-50 14,00 C5 Pa-50 10,00 10,00 Picea abies 'Will's Zwerg' C5 40-50 10,00 Picea abies reweriana C5 50-80 10,00 Picea breweriana C5 50-80 10,00 Picea engelmannii C5 50-80 10,00 Picea koyamai C5 50-80 10,00 Picea koyamai C5 40-50 10,00 Picea mariana 'Jana' C5 40-50 10,00 Picea mariana 'Jana' C5 40-50 10,00 Picea mariorika 'Machala' C5 40-50 10,00 Picea omorika 'Machala' C5 10-25 10,00 Picea omorika 'Nana' C5 20-25 10,00 Picea omorika 'Nana' C5 20-	Picea abies 'Norkopping'	C5	60-70	10,00
Picea abies 'Pygmaea' C5 30-40 10,00 Picea abies 'Pygmaea' C5 Pa-50 14,00 (grafted on stem; Pa-stem height) C5 Pa-50 16,75 Picea abies 'Will's Zwerg' C5 40-50 10,00 Picea asperata C5 50-60 10,00 Picea pergelmannii C5 50-60 10,00 Picea peglmannii C5 50-60 10,00 Picea koyamai C5 50-60 10,00 Picea koyamai C5 60-70 10,00 Picea marian 'Jana' C5 40-50 10,00 Picea marian 'Jana' C5 40-50 10,00 Picea mariorika 'Machala' C5 40-50 10,00 Picea mariorika 'Machala' C5 40-50 10,00 Picea omorika 'Nanca' C5 60-70 10,00 Picea omorika 'Nanca' C5 60-70 10,00 Picea omorika 'Nana' C5 80-70 10,00 Picea omorika 'Pendula' C5	Picea abies 'Pumila Nigra'	C5	60-70	10,00
Picea abies 'Pygmaea' C5 Pa-50 14,00 (grafted on stem; Pa-stem height) 20-30 16,75 Picea abies 'Will's Zwerg' C5 40-50 10,00 Picea asperata C5 50-60 10,00 Picea pregemannii C5 50-60 10,00 Picea engelmannii C5 50-60 10,00 Picea koyamai C5 50-60 10,00 Picea koyamai C5 60-70 10,00 Picea likiangensis var. Balfouriana C5 60-70 10,00 Picea mariana 'Jana' C5 40-50 10,00 Picea mariorika 'Machala' C5 40-50 10,00 Picea omorika 'Machala' C5 40-50 10,00 Picea omorika 'Machala' C5 60-70 10,00 Picea omorika 'Machala' C5 60-70 10,00 Picea omorika 'Nana' C5 60-70 10,00 Picea omorika 'Nana' C5 9-2-50 12,50 (grafted on stem; Pa-stem height) <td< td=""><td>Picea abies 'Pusch'</td><td>C5</td><td>30-40</td><td>10,00</td></td<>	Picea abies 'Pusch'	C5	30-40	10,00
(grafted on stem; Pa-stem height) 20-30 16,75 20-30 16,75 20-30 16,75 20-30 16,75 20-30 10,00	Picea abies 'Pygmaea'	C5	30-40	10,00
Picea abies 'Will's Zwerg' C5	Picea abies 'Pygmaea'	C5	Pa<50	14,00
Picea abies 'Will's Zwerg' C5	(grafted on stem; Pa-stem height)		20-30	
Picea abies 'Will's Zwerg' C5 40-50 10,00 Picea asperata C5 50-60 10,00 Picea breweriana C5 50-60 10,00 Picea engelmannii C5 50-60 10,00 Picea jezonensis C5 50-60 10,00 Picea koyamai C5 40-50 10,00 Picea likiangensis var. Balfouriana C5 60-70 10,00 Picea mariana 'Jana' C5 40-50 10,00 Picea marionika 'Machala' C5 40-50 10,00 Picea omorika 'Machala' C5 60-70 10,00 Picea omorika 'Hana' C5 60-70 10,00 Picea omorika 'Nana' C5 20-25 10,00 Picea omorika 'Wodan' C5 20-25 10,00 Picea omorika 'Wodan' C5		C5		16,75
Picea asperata C5 50-60 10,00 Picea breweriana C5 40-50 10,00 Picea engelmannii C5 50-60 10,00 Picea jezonensis C5 50-60 10,00 Picea koyamai C5 40-50 10,00 Picea likiangensis var. Balfouriana C5 60-70 10,00 Picea mariana 'Jana' C5 40-50 10,00 Picea mariorika 'Machala' C5 10-25 10,00 Picea omorika 'Machala' C5 10-25 10,00 Picea omorika 'De Ruyter' C5 60-70 10,00 Picea omorika 'Nana' C5 20-25 10,00 Picea omorika 'Pendula' C5 20-25 10,00 Picea omorika 'Pendula' C5 Pa-70-85 16,75 (grafted on stem: Pa-stem height)				
Picea breweriana C5 40-50 10,00 Picea engelmannii C5 50-60 10,00 Picea jezonensis C5 50-60 10,00 Picea koyamai C5 40-50 10,00 Picea likiangensis var. Balfouriana C5 60-70 10,00 Picea mariana 'Jana' C5 40-50 10,00 Picea mariorika 'Machala' C5 40-50 10,00 Picea mariorika 'Machala' C5 60-70 10,00 Picea omorika 'Aurea' C5 60-70 10,00 Picea omorika 'Nana' C5 60-70 10,00 Picea omorika 'Nana' C5 20-25 10,00 Picea omorika 'Nana' C5 20-25 10,00 Picea omorika 'Pendula' C5 60-70 10,00 Picea omorika 'Yodan'	<u> </u>	C5	40-50	10,00
Picea engelmannii C5 50-60 10,00 Picea jezonensis C5 50-60 10,00 Picea koyamai C5 40-50 10,00 Picea likiangensis var. Balfouriana C5 60-70 10,00 Picea mariana 'Jana' C5 60-70 10,00 Picea mariorika 'Machala' C5 40-50 10,00 Picea omorika 'Aurea' C5 60-70 10,00 Picea omorika 'Nana' C5 30-40 10,00 Picea omorika 'Nana' C5 20-25 10,00 Picea omorika 'Nana' C5 20-25 10,00 Picea omorika 'Nana' C5 9a-50 12,50 (gratted on stem; Pa-stem height) 15-20 10,00 Picea omorika 'Pendula' C5 60-70 10,00 Picea omorika 'Pendula' C5 9a 70-85 16,75 (gratted on stem; Pa-stem height) 25-30 10,00 Picea omorika 'Yodan' C5 70-80 10,00 Picea orientalis 'Aurea' C5	Picea asperata	C5	50-60	10,00
Picea jezonensis C5 50-60 10,00 Picea koyamai C5 40-50 10,00 Picea likiangensis var. Balfouriana C5 60-70 10,00 Picea mariana 'Jana' C5 60-70 10,00 Picea mariorika 'Machala' C5 10-25 10,00 Picea omorika 'Aurea' C5 60-70 10,00 Picea omorika 'Be Ruyter' C5 60-70 10,00 Picea omorika 'Nana' C5 20-25 10,00 Picea omorika 'Nana' C5 20-25 10,00 Picea omorika 'Nana' C5 20-25 10,00 Picea omorika 'Pendula' C5 60-70 12,50 (grafted on stem; Pa-stem height) C5 80-70 12,50 Picea omorika 'Pendula' C5 80-70 10,00 Picea omorika 'Pendula' C5 80-70 10,00 Picea omorika 'Pendula' C5 30-40 10,00 Picea omorika 'Pendula' C5 30-40 10,00 Picea omori	Picea breweriana	C5	40-50	10,00
Picea koyamai C5 40-50 10,00 Picea likiangensis var. Balfouriana C5 60-70 10,00 Picea mariana 'Jana' C5 40-50 10,00 Picea mariorika 'Machala' C5 40-50 10,00 Picea omorika 'Aurea' C5 60-70 10,00 Picea omorika 'De Ruyter' C5 60-70 10,00 Picea omorika 'Nana' C5 20-25 10,00 Picea omorika 'Nana' C5 20-25 10,00 Picea omorika 'Pendula' C5 60-70 10,00 Picea omorika 'Pendula' C5 70-85 16,75 (grafted on stem; Pa-stem height) C5 70-80 10,00 Picea omorika 'Pendula' C5 70-80 10,00 P	Picea engelmannii	C5	50-60	10,00
Picea likiangensis var. Balfouriana C15 100-110 20,00 Picea mariana 'Jana' C5 60-70 10,00 Picea mariana 'Jana' C5 40-50 10,00 C10 60-80 20,00 Picea mariorika 'Machala' C5 10-25 10,00 Picea omorika 'Aurea' C5 60-70 10,00 Picea omorika 'De Ruyter' C5 30-40 10,00 Picea omorika 'Nana' C5 20-25 10,00 Picea omorika 'Nana' C5 Pa-50 12,50 (grafted on stem; Pa-stem height) 15-20 Picea omorika 'Pendula' C5 60-70 10,00 Picea omorika 'Pendula' C5 60-70 10,00	Picea jezonensis	C5	50-60	10,00
Picea likiangensis var. Balfouriana C5 60-70 10.00 Picea mariana 'Jana' C5 40-50 10.00 Picea mariorika 'Machala' C5 40-50 10.00 Picea omorika 'Aurea' C5 10-25 10.00 Picea omorika 'De Ruyter' C5 30-40 10.00 Picea omorika 'Nana' C5 20-25 10,00 Picea omorika 'Nana' C5 20-25 10,00 Picea omorika 'Pendula' C5 60-70 10,00 Picea omorika 'Pendula' C5 60-70 10,00 Picea omorika 'Pendula' C5 60-70 10,00 Picea omorika 'Pendula' C5 Pa 70-85 16,75 (grafted on stem; Pa-stem height) 25-30 Picea omorika 'Wodan' C5 9a 70-85 16,75 Picea orientalis 'Aurea' C5 70-80 10,00 Picea orientalis 'Aurea' C5 70-80 10,00 Picea orientalis 'Fasty Gold' C5 50-60 10,00 Picea pungens 'Blue Trin	Picea koyamai	C5	40-50	10,00
Picea mariana 'Jana' C10 (55 (40-50 (10,00)) 10,00 (60-80) 20,00 Picea mariorika 'Machala' C5 (10-25 (10,00)) 10,00 Picea omorika 'Aurea' C5 (60-70 (10,00)) 10,00 Picea omorika 'De Ruyter' C5 (30-40 (10,00)) 10,00 Picea omorika 'Nana' C5 (20-25 (10,00)) 10,00 Picea omorika 'Nana' C5 (20-25 (10,00)) 10,00 Picea omorika 'Pendula' C5 (60-70 (10,00)) 10,00 Picea omorika 'Pendula' C5 (60-70 (10,00)) 10,00 Picea omorika 'Pendula' C5 (60-70 (10,00)) 10,00 Picea omorika 'Yendula' C5 (70-80 (10,00)) 10,00 Picea omorika 'Wodan' C5 (30-40 (10,00)) 10,00 Picea orientalis 'Aurea' C5 (70-80 (10,00)) 10,00 Picea orientalis 'Fasty Gold' C5 (70-80 (10,00)) 10,00 Picea pungens 'Blue Trinket' C5 (50-60 (10,00)) 10,00 Picea pungens 'Glauca Compacta' C5 (70-80 (10,00)) 10,00 Picea pungens 'Glauca Compacta' C5 (70-80 (10,00)) 10,00 Picea pungens 'Glauca Compacta' C5 (70-80 (10,				
Picea mariana 'Jana' C5 40-50 10,00 Picea mariorika 'Machala' C5 10-25 10,00 Picea omorika 'Aurea' C5 10-25 10,00 Picea omorika 'De Ruyter' C5 30-40 10,00 Picea omorika 'Nana' C5 20-25 10,00 Picea omorika 'Nana' C5 20-25 10,00 Picea omorika 'Nana' C5 Pa-50 12,50 (grafted on stem; Pa-stem height) C5 60-70 10,00 Picea omorika 'Pendula' C5 60-70 10,00 Cyarfed on stem; Pa-stem height) 25-30 10,00 Picea omorika 'Pendula' C5 Pa-70-85 16,75 (grafted on stem; Pa-stem height) 25-30 10,00 Picea omorika 'Wodan' C5 70-80 10,00 Picea orientalis 'Aurea' C5 70-80 10,00 Picea orientalis 'Aurea' C5 70-80 10,00 Picea orientalis 'Fasty Gold' C5 50-60 10,00 P	Picea likiangensis var. Balfouriana			
Picea mariorika 'Machala' C10 60-80 20,00 Picea mariorika 'Machala' C5 10-25 10,00 Picea omorika 'Aurea' C5 60-70 10,00 Picea omorika 'De Ruyter' C5 30-40 10,00 Picea omorika 'Nana' C5 20-25 10,00 Picea omorika 'Nana' C5 Pa-50 12,50 (grafted on stem; Pa-stem height) 15-20 15-20 Picea omorika 'Pendula' C5 Pa 70-85 16,75 (grafted on stem; Pa-stem height) C5 Pa 70-85 16,75 (grafted on stem; Pa-stem height) 25-30 10,00 Picea omorika 'Wodan' C5 70-80 10,00 Picea orientalis 'Aurea' C5 70-80 10,00 Picea orientalis 'Fasty Gold' C5 70-80 10,00 Picea pungens 'Białobok' C5 50-60 10,00 Picea pungens 'Blue Trinket' C5 50-60 10,00 Picea pungens 'Glauca Compacta' C5 50-60 10,00	Dioca mariana ' lana'			
Picea mariorika 'Machala' C5 10-25 10,00 Picea omorika 'Aurea' C5 60-70 10,00 Picea omorika 'De Ruyter' C5 30-40 10,00 Picea omorika 'Nana' C5 20-25 10,00 Picea omorika 'Nana' C5 Pa<50 12,50 (grafted on stem; Pa-stem height) 15-20 15-20 Picea omorika 'Pendula' C5 60-70 10,00 C10 120-130 20,00 Picea omorika 'Pendula' C5 Pa 70-85 16,75 (grafted on stem; Pa-stem height) 25-30 10,00 Picea omorika 'Wodan' C5 30-40 10,00 Picea orientalis C5 70-80 10,00 Picea orientalis 'Aurea' C5 70-80 10,00 Picea pungens 'Białobok' C5 50-60 10,00 Picea pungens 'Białobok' C5 50-60 10,00 Picea pungens 'Glauca Compacta' C5 50-60 10,00 Picea pungens 'Glauca Compacta' C5	ricea manana Jana			•
Picea omorika 'De Ruyter' C5 30-40 10,00 Picea omorika 'Nana' C5 20-25 10,00 Picea omorika 'Nana' C5 Pa-50 12,50 (grafted on stem; Pa-stem height) 15-20 15-20 Picea omorika 'Pendula' C5 60-70 10,00 Picea omorika 'Pendula' C5 Pa 70-85 16,75 (grafted on stem; Pa-stem height) 25-30 10,00 Picea omorika 'Wodan' C5 30-40 10,00 Picea orientalis C5 70-80 10,00 Picea orientalis 'Aurea' C5 70-80 10,00 Picea orientalis 'Fasty Gold' C5 50-60 10,00 Picea pungens 'Białobok' C5 50-60 10,00 Picea pungens 'Glauca Compacta' C5 50-60 10,00	Picea mariorika 'Machala'			
Picea omorika 'De Ruyter' C5 30-40 10,00 Picea omorika 'Nana' C5 20-25 10,00 Picea omorika 'Nana' C5 Pa-50 12,50 (grafted on stem; Pa-stem height) 15-20 Picea omorika 'Pendula' C5 60-70 10,00 Picea omorika 'Pendula' C5 Pa 70-85 16,75 (grafted on stem; Pa-stem height) 25-30 Picea omorika 'Wodan' C5 30-40 10,00 Picea orientalis 'Aurea' C5 70-80 10,00 Picea orientalis 'Fasty Gold' C5 70-80 10,00 Picea pungens 'Białobok' C5 50-60 10,00 Picea pungens 'Blue Trinket' C5 50-60 10,00 Picea pungens 'Glauca Compacta' C5 50-60 10,00 Picea pungens 'Glauca Compacta' C5 90-60 14,00 Picea pungens 'Glauca Compacta' C5 Pa-50 14,00 Picea pungens 'Glauca Compacta' C5 Pa-50 14,00	Picea omorika 'Aurea'	C5	60-70	10,00
Picea omorika 'Nana' C5 20-25 10,00 Picea omorika 'Nana' C5 Pa-50 12,50 (grafted on stem; Pa-stem height) 15-20 15-20 Picea omorika 'Pendula' C5 60-70 10,00 Picea omorika 'Pendula' C5 Pa 70-85 16,75 (grafted on stem; Pa-stem height) 25-30 25-30 Picea omorika 'Wodan' C5 30-40 10,00 Picea orientalis C5 70-80 10,00 Picea orientalis 'Aurea' C5 70-80 10,00 Picea orientalis 'Fasty Gold' C5 70-80 10,00 Picea pungens 'Blue Trinket' C5 50-60 10,00 Picea pungens 'Glauca Compacta' C5 50-60 10,00 Picea pungens 'Glauca Compacta' C5 Pa-50 14,00 (grafted on stem; Pa-stem height) C5 Pa-50 16,75		C10	80-100	20,00
Picea omorika 'Nana' C5 Pa<50 12,50 (grafted on stem; Pa-stem height) 15-20 15-20 Picea omorika 'Pendula' C5 60-70 10,00 Picea omorika 'Pendula' C5 Pa 70-85 16,75 (grafted on stem; Pa-stem height) 25-30 25-30 Picea omorika 'Wodan' C5 30-40 10,00 Picea orientalis C5 70-80 10,00 Picea orientalis 'Aurea' C5 70-80 10,00 Picea orientalis 'Fasty Gold' C5 60-70 10,00 Picea pungens 'Blaebobk' C5 50-60 10,00 Picea pungens 'Glauca Compacta' C5 50-60 10,00 Picea pungens 'Glauca Compacta' C5 50-60 10,00 Picea pungens 'Glauca Compacta' C5 Pa<50	Picea omorika 'De Ruyter'	C5	30-40	10,00
(grafted on stem; Pa-stem height) 15-20 Picea omorika 'Pendula' C5 60-70 10,00 Picea omorika 'Pendula' C5 Pa 70-85 16,75 (grafted on stem; Pa-stem height) 25-30 25-30 Picea omorika 'Wodan' C5 30-40 10,00 Picea orientalis 'Aurea' C5 70-80 10,00 Picea orientalis 'Fasty Gold' C5 60-70 10,00 Picea pungens 'Białobok' C5 50-60 10,00 Picea pungens 'Blue Trinket' C5 50-60 10,00 Picea pungens 'Glauca Compacta' C5 Pa<50 14,00 (grafted on stem; Pa-stem height) T5-20 T6-50 T6-50	Picea omorika 'Nana'	C5	20-25	10,00
Picea omorika 'Pendula' C5 60-70 10,00 Picea omorika 'Pendula' C5 Pa 70-85 16,75 (grafted on stem; Pa-stem height) 25-30 10,00 Picea omorika 'Wodan' C5 30-40 10,00 Picea orientalis C5 70-80 10,00 Picea orientalis 'Fasty Gold' C5 60-70 10,00 Picea pungens 'Białobok' C5 50-60 10,00 Picea pungens 'Blue Trinket' C5 50-60 10,00 Picea pungens 'Glauca Compacta' C5 50-60 10,00 Picea pungens 'Glauca Compacta' C5 50-60 10,00 Picea pungens 'Glauca Compacta' C5 Pa<50 14,00 (grafted on stem; Pa-stem height) 15-20 C5 Pa>50 16,75	Picea omorika 'Nana'	C5	Pa<50	12,50
Picea omorika 'Pendula' C5 Pa 70-85 16,75 (grafted on stem; Pa-stem height) 25-30 10,00 Picea omorika 'Wodan' C5 30-40 10,00 Picea orientalis C5 70-80 10,00 Picea orientalis 'Aurea' C5 70-80 10,00 Picea orientalis 'Fasty Gold' C5 60-70 10,00 Picea pungens 'Białobok' C5 50-60 10,00 Picea pungens 'Blue Trinket' C5 50-60 10,00 Picea pungens 'Glauca Compacta' C5 50-60 10,00 Picea pungens 'Glauca Compacta' C5 70-80 14,00 (grafted on stem; Pa-stem height) T5-20 T5-20				
Picea omorika 'Pendula' C5 Pa 70-85 16,75 (grafted on stem; Pa-stem height) 25-30 10,00 Picea omorika 'Wodan' C5 30-40 10,00 Picea orientalis C5 70-80 10,00 Picea orientalis 'Fasty Gold' C5 60-70 10,00 Picea pungens 'Białobok' C5 50-60 10,00 Picea pungens 'Blue Trinket' C5 50-60 10,00 Picea pungens 'Glauca Compacta' C5 Pa-50 14,00 (grafted on stem; Pa-stem height) C5 Pa-50 16,75	Picea omorika 'Pendula'			
(grafted on stem; Pa-stem height) 25-30 Picea omorika 'Wodan' C5 30-40 10,00 Picea orientalis C5 70-80 10,00 Picea orientalis 'Aurea' C5 70-80 10,00 Picea orientalis 'Fasty Gold' C5 60-70 10,00 Picea pungens 'Białobok' C5 50-60 10,00 Picea pungens 'Blue Trinket' C5 50-60 10,00 Picea pungens 'Glauca Compacta' C5 50-60 10,00 Picea pungens 'Glauca Compacta' C5 Pa-50 14,00 (grafted on stem; Pa-stem height) 15-20 C5 Pa>50 16,75	Pices omorika 'Pendula'			
Picea omorika 'Wodan' C5 30-40 10,00 Picea orientalis C5 70-80 10,00 Picea orientalis 'Fasty Gold' C5 70-80 10,00 Picea pungens 'Białobok' C5 50-60 10,00 Picea pungens 'Blue Trinket' C5 50-60 10,00 Picea pungens 'Glauca Compacta' C5 50-60 10,00 Picea pungens 'Glauca Compacta' C5 50-60 10,00 Picea pungens 'Glauca Compacta' C5 Pa<50 14,00 (grafted on stem; Pa-stem height) T5-20 C5 Pa>50 16,75		00		10,73
Picea orientalis 'Aurea' C5 70-80 10,00 Picea orientalis 'Fasty Gold' C5 60-70 10,00 Picea pungens 'Białobok' C5 50-60 10,00 Picea pungens 'Blue Trinket' C5 50-60 10,00 Picea pungens 'Glauca Compacta' C5 50-60 10,00 C10 90-100 20,00 Picea pungens 'Glauca Compacta' C5 Pa<50 14,00 (grafted on stem; Pa-stem height) T5-20 C5 Pa>50 16,75	Picea omorika 'Wodan'	C5		10,00
Picea orientalis 'Fasty Gold' C5 60-70 10,00 Picea pungens 'Białobok' C5 50-60 10,00 Picea pungens 'Blue Trinket' C5 50-60 10,00 Picea pungens 'Glauca Compacta' C5 50-60 10,00 C10 90-100 20,00 Picea pungens 'Glauca Compacta' C5 Pa<50 14,00 (grafted on stem; Pa-stem height) T5-20 C5 Pa>50 16,75	Picea orientalis	C5	70-80	10,00
Picea pungens 'Białobok' C5 50-60 10,00 Picea pungens 'Blue Trinket' C5 50-60 10,00 Picea pungens 'Glauca Compacta' C5 50-60 10,00 C10 90-100 20,00 Picea pungens 'Glauca Compacta' C5 Pa<50	Picea orientalis 'Aurea'	C5	70-80	10,00
Picea pungens 'Blue Trinket' C5 50-60 10,00 Picea pungens 'Glauca Compacta' C5 50-60 10,00 C10 90-100 20,00 Picea pungens 'Glauca Compacta' C5 Pa<50 14,00 (grafted on stem; Pa-stem height) T5-20 C5 Pa>50 16,75	Picea orientalis 'Fasty Gold'	C5	60-70	10,00
Picea pungens 'Glauca Compacta' C5 50-60 10,00 C10 90-100 20,00 Picea pungens 'Glauca Compacta' C5 Pa<50 14,00 (grafted on stem; Pa-stem height) 15-20 C5 Pa>50 16,75	Picea pungens 'Białobok'	C5	50-60	10,00
Picea pungens 'Glauca Compacta' C5 Pa<50 14,00 (grafted on stem; Pa-stem height) 15-20 C5 Pa>50 16,75	Picea pungens 'Blue Trinket'	C5	50-60	10,00
Picea pungens 'Glauca Compacta' C5 Pa<50 14,00 (grafted on stem; Pa-stem height) 15-20 C5 Pa>50 16,75	Picea pungens 'Glauca Compacta'	C5	50-60	10,00
(grafted on stem; Pa-stem height) 15-20 C5 Pa>50 16,75			90-100	20,00
C5 Pa>50 16,75	Picea pungens 'Glauca Compacta'	C5		14,00
	(grafted on stem; Pa-stem height)	25		40.75
		C5		10,/5

VARIETY	CONT.	HEIGHT	PRICE Euro
Diese numerous Illeansiil	C5	90-110	10,00
Picea pungens 'Hoopsii'	C7,5	100-110	20,00
Picea pungens 'Iseli Fastigiate'	C5	40-50	10,00
Picea pungens 'Koster'	C5	30-40	10,00
Picea pungens 'Oldenburg'	C5	30-40	10,00
Picea sitchensis 'Tenas'	C5	30-40	10,00
Picea sitchensis 'Tenas'	C5	Pa 50-80	16,75
(grafted on stem; Pa-stem height)	•	15-20	. 0,. 0
Pinus cembra var. Sibirica	C5	70-80	10,00
Pinus contorta 'Anna Aurea'	C5	60-70	10,00
Pinus densiflora 'Aurea'	C5	90-100	10,00
Pinus densiflora 'Alice Verkade'	C5	40-60	10,00
Pinus densiflora 'Compacta'	C5	80-90	10,00
Pinus densiflora 'Jane Kluis'	C5	30-40	10,00
Pinus densiflora 'Jane Kluis' (grafted on stem; Pa-stem height)	C5	Pa<50 30-40	14,00
	C5	Pa>50 30-40	16,75
Pinus densiflora 'Oculus-draconis'	C5	70-80	10,00
Pinus densiflora 'Umbraculifera'	C5	60-70	10,00
Pinus densiflora 'Umbraculifera'	C5	Pa<50	12,50
(grafted on stem; Pa-stem height)		35-40	
Pinus koraiensis	C5	60-70	10,00
Pinus lambertiana 'Marie Bregan'	C5	40-60	10,00
Pinus leucodermis 'Aureospicata'	C5	40-50	10,00
Pinus heldreichii 'Malinki'	C5	40-50	10,00
Pinus leucodermis 'Nana'	C5	50-60	10,00
Pinus leucodermis 'Satellit'	C5	60-80	10,00
Pinus mugo 'Benjamin'	C5	Pa 20-40	14,00
(grafted on stem; Pa-stem height)	0.5	15-20	10.00
Pinus mugo 'Compacta' Pinus mugo 'Frühlingsgold'	C5	30-40	10,00
Pinus mugo 'Frühlingsgold'	C5 C5	50-60 Pa 20-40	10,00
(grafted on stem; Pa-stem height)	03	20-40	14,00
Pinus mugo 'Gnom'	C5	30-40	10,00
Pinus mugo 'Gnom'	C5	Pa<50	14,00
(grafted on stem; Pa-stem height)		15-20	
Pinus mugo 'Lilliput'	C5	30-40	10,00
Pinus mugo 'Lilliput'	C5	Pa<50	14,00
(grafted on stem; Pa-stem height) Pinus mugo 'Mops'	C5	15-20 20-30	10,00
Pinus mugo 'Mops'	C5	Pa<50	14,00
(grafted on stem; Pa-stem height)		20-30	. 1,00
Pinus mugo 'Pal Maleter'	C5	50-60	10,00
Pinus mugo var. Pumilio	C5	60-70	10,00

VARIETY	CONT.	HEIGHT	PRICE Euro
Pinus mugo 'Winter Gold'	C5	30-40	10,00
Pinus mugo 'Winter Gold'	C5	Pa 40-50	14,00
(grafted on stem; Pa-stem height)		15-20	
	C5	Pa 60-70 20-25	16,75
Pinus nigra 'Brepo'	C5	50-60	10,00
Pinus nigra 'Green Tower'	C5	50-65	10,00
Pinus nigra 'Obelisk'	C5	80-90	10,00
Pinus nigra 'Pyramidalis'	C5	60-80	10,00
Pinus nigra var. Caramanica	C5	90-100	10,00
Pinus nigra var. Pumilo	C10	100-120	20,00
Pinus parviflora 'Blue Giant'	C5	60-70	10,00
Pinus parviflora 'Fuku-zu-mi'	C5	50-60	10,00
Pinus parviflora 'Glauca'	C5	50-60	10,00
Pinus parviflora 'Negishi'	C5	60-70	10,00
Pinus parviflora 'Ryu-ju'	C5	40-50	10,00
Pinus parviflora 'Schoon`s Bonsai'	C5	50-65	10,00
Pinus parviflora 'Seantis'	C5	50-60	10,00
Pinus parviflora 'Tempelhof'	C5	50-60	10,00
Pinus pumila 'Glauca'	C5	40-50	10,00
Pinus ponderosa	C5	80-90	10,00
Pinus radiata 'Nana'	C5	50-60	10,00
Pinus rigida	C10	60-80	10,00
Pinus schwerinii 'Wiethorst'	C5	30-45	10,00
Pinus sylvestris 'Aurea'	C5	60-80	10,00
Pinus sylvestris 'Beuvronensis'	C5	40-50	10,00
Pinus sylvestris 'Beuvronensis'	C10	Pa>50	20,00
(grafted on stem; Pa-stem height)		60-80	
Pinus sylvestris 'Globosa Viridis'	C5	30-40	10,00
Pinus sylvestris 'Issanti'	C5	90-100	10,00
Pinus sylvestris 'Tabuliformis'	C5	40-50	10,00
Pinus sylvestris 'Tabuliformis'	C5	Pa<50 50-60	12,50
(grafted on stem; Pa-stem height) Pinus sylvestris 'Watereri'	C5	60-70	10,00
	C10	80-110	20,00
Pinus tabuliformis - selekt	C5	30-50	6,25
Pinus uncinata	C5	40-50	14,00
Pinus wallichiana	C5	60-70	10,00

ROSES IN 2L CONTAINER

VARIETY	FLOWER	CONT.	HEIGHT	PRICE Euro
Athena	white		40.00	
		C2	10-20	2,00
Blue Rambler	violet	C2	10-20	2,00
Burgund	red	C2	10-20	2,00
Chopin	creamy	C2	10-20	2,00
Fairy Dance	red	C2	10-20	2,00
Francois Juranville	salmon-pink	C2	10-20	2,00
Golden Glow	orange	C2	10-20	2,00
Hanne	dark pink	C2	10-20	2,00
Lidka	red	C2	10-20	2,00
Louise Odier	pink	C2	10-20	2,00
New Dawn	light pink	C2	10-20	2,00
Paul's Scarlet Climber	red	C2	10-20	2,00
Peace	creamy-pink	C2	10-20	2,00
Pink Peace	pink	C2	10-20	2,00
Sympathie	red	C2	10-20	2,00
Tom Tom	pink	C2	10-20	2,00
Westerland	orange	C2	10-20	2,00

ROSES WITH BARE ROOT

VARIETY	FLOWER	CONT.	HEIGHT	PRICE Euro
Athena	white	bare root	10-20	0,75
Blue Rambler	violet	bare root	10-20	0,75
Burgund	red	bare root	10-20	0,75
Chopin	creamy	bare root	10-20	0,75
Fairy Dance	red	bare root	10-20	0,75
Francois Juranville	salmon-pink	bare root	10-20	0,75
Golden Glow	orange	bare root	10-20	0,75
Hanne	dark pink	bare root	10-20	0,75
Lidka	red	bare root	10-20	0,75
Louise Odier	pink	bare root	10-20	0,75
New Dawn	light pink	bare root	10-20	0,75
Paul's Scarlet Climber	red	bare root	10-20	0,75
Peace	creamy-pink	bare root	10-20	0,75
Pink Peace	pink	bare root	10-20	0,75
Sympathie	red	bare root	10-20	0,75
Tom Tom	pink	bare root	10-20	0,75
Westerland	orange	bare root	10-20	0,75